

158 Views | 30 CrossRef citations to date | 0 Altmetric

Article

Gastroprotective and Antiulcer Effects of *Celastrus paniculatus* Seed Oil Against Several Gastric Ulcer Models in Rats

Suresh Palle  PhD, A. Kanakalatha, MPharm & Ch. N. Kavitha, MPharm, PhD

Pages 373-385 | Published online: 17 Aug 2017

 Cite this article  <https://doi.org/10.1080/19390211.2017.1349231>



Sample our
Medicine, Dentistry, Nursing
& Allied Health Journals
>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

 Full Article

 Figures & data

 References

 Citations

 Metrics

 Reprints & Permissions

[Read this article](#)

 Share

ABSTRACT

Peptic ulcer is a recurrent chronic illness and has become almost a hallmark of the so-called civilized life. In folk medicine, the *Celastrus paniculatus* plant has been used for the prevention and treatment of various diseases and gastrointestinal disturbances, including dyspepsia and stomach ulcers. The aim of this study is to evaluate the gastroprotective and antiulcer effects of *Celastrus paniculatus* seed oil (CPO) against several gastric ulcer models in rats. The gastroprotective and antiulcer effects of CPO were evaluated using pylorus-ligated ulcer ethanol- and indomethacin-induced ulcers using ranitidine (40 mg/kg per os [PO]) as standard. Gastrointestinal motility was determined by gastric emptying time and gastrointestinal transit ratio. The results of the pharmacological studies of CPO (200 mg/kg, 400 mg/kg) demonstrated effective

gastroprotection against ethanol- and indomethacin-induced ulcer models. In pylorus-ligated rats, the seed oil showed gastroprotective activity by decreasing total gastric juice volume and gastric acidity while increasing the gastric pH. The gastroprotection against ethanol and indomethacin is partially attributed to effective inhibition of proinflammatory cytokines, TNF- α and IL-6, and increase in the levels of IL-10. Treatment with CPO in ethanol-induced ulcer rats significantly ($p < .05$) decreased MDA (malondialdehyde) levels, which were accompanied by an increase in the activities of SOD (superoxide dismutase) and catalase. CPO reduced the rate of gastric emptying but had no effect on gastrointestinal transit. The present findings indicate that CPO has potent gastroprotective effects and support the folkloric usage of the seed oil to treat various gastrointestinal disturbances.

KEYWORDS:

Celastrus paniculatus seed oil gastric emptying gastro protection peptic ulcer ulcer index

Declaration of interest

The authors declare no conflicts of interest. The authors alone are responsible for the content and writing of the article.

Additional information

Notes on contributors

Suresh Palle

Suresh Palle, MPharm, PhD, Department of Pharmacology, Vaagdevi Institute of Pharmaceutical Sciences, Bollikunta, Warangal, Telangana, India.

A. Kanakalatha

A. Kanakalatha, MPharm, Department of Pharmacology, St Peters Institute of Pharmaceutical Sciences, Vidyanagar, Warangal, Telangana, India.

Ch. N. Kavitha

Ch. N. Kavitha, MPharm, PhD, Department of Pharmacology, Nirmala Institute of Pharmaceutical Sciences, Vijayawada, India.

Related research

People also read

Recommended articles

Cited by
30

Information for

[Authors](#)

[R&D professionals](#)

[Editors](#)

[Librarians](#)

[Societies](#)

Opportunities

[Reprints and e-prints](#)

[Advertising solutions](#)

[Accelerated publication](#)

[Corporate access solutions](#)

Open access

[Overview](#)

[Open journals](#)

[Open Select](#)

[Dove Medical Press](#)

[F1000Research](#)

Help and information

[Help and contact](#)

[Newsroom](#)

[All journals](#)

[Books](#)

Keep up to date

Register to receive personalised research and resources by email

 Sign me up



Copyright © 2026 Informa UK Limited [Privacy policy](#)

[Cookies](#) [Terms & conditions](#) [Accessibility](#)

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG

