

272 | 3 | 0  
Views | CrossRef citations to date | Altmetric

Research Article

# Characterization of rare earth elements by XRT sorting products of a South African coal seam

G. Akdogan , S. Bradshaw, C. Dorfling, C. Bergmann, T. Ghosh  & Q. Campbell

Pages 1071-1087 | Received 25 Sep 2019, Accepted 23 Oct 2019, Published online: 11 Nov 2019

 Cite this article  <https://doi.org/10.1080/19392699.2019.1685506>

Sample our  
Engineering & Technology  
Journals  
>> [Sign in here](#) to start your access  
to the latest two volumes for 14 days

[Full Article](#) [Figures & data](#) [References](#) [Citations](#) [Metrics](#)[Reprints & Permissions](#)[Read this article](#)

## ABSTRACT

South Africa is an important participant in the global coal market. The four Upper coal seam situated in Springs-Witbank Coalfield was subjected to XRT sorting and subsequent mineralogical studies to characterize REE content. The average total REE content (LREE and HREE) of the coal were 280 ppm on ash basis. The surrounding elemental composition besides carbon primarily consisted of O, Si, S and Fe with minor quantities of Al, P and Ti. Major minerals, such as quartz, dolomite, illite, gypsum, siderite, pyrite correlated positively with ash content ( $r > 0.9$ ) except kaolinite, and microcline, indicating incongruent source and formation mechanisms. Additionally, the HREEs Lu, Tm, Dy, Ho, Gd and Tb displayed strong correlations ( $r > 0.95$ ) with ash content but were negatively associated with fixed carbon. Sc is negatively associated with coal ash. Fixed carbon is weakly associated with La but negatively associated with HREEs. La showed a weak association with Ce. Y is strongly correlated with HREE

elements especially with Dy, Tm, Lu and Ho while at the same time LREE are strongly associated with Ce, Pr, Nd, La, Eu but negatively with Sc and fixed carbon levels.

Q KEYWORDS: [Coal](#) [REE](#) [XRT sorting](#) [South Africa](#)

## Acknowledgments

This work was partly supported by SAMMRI (South African Minerals to Metals Research Institute) with a seed fund under S1705.

## Additional information

### Funding

This work was partly supported by the SAMMRI (South African Minerals to Metals Research Institute) with a seed funding under S1705.



## Related research

Recommended articles

People also read

Cited by  
3

[Strategic elements in the Fort Cooper Coal Measures: potential rare earth elements and other multi-product targets >](#)

J. H. Hodgkinson et al.  
Australian Journal of Earth Sciences  
Published online: 24 Sep 2019

[A Review of the Occurrence and Promising Recovery Methods of Rare Earth Elements from Coal and Coal By-Products >](#)

Wencai Zhang et al.  
International Journal of Coal Preparation and Utilization  
Published online: 17 Aug 2015

[Estimation of heavy and light rare earth elements of coal by intelligent methods >](#)

S. Chehreh Chelgani et al.

Energy Sources, Part A: Recovery, Utilization, and Environmental Effects

Published online: 26 May 2019

[View more](#)

## Information for

[Authors](#)

[R&D professionals](#)

[Editors](#)

[Librarians](#)

[Societies](#)

## Opportunities

[Reprints and e-prints](#)

[Advertising solutions](#)

[Accelerated publication](#)

[Corporate access solutions](#)

## Open access

[Overview](#)

[Open journals](#)

[Open Select](#)

[Dove Medical Press](#)

[F1000Research](#)

## Help and information

[Help and contact](#)

[Newsroom](#)

[All journals](#)

[Books](#)

## Keep up to date

Register to receive personalised research and resources by email



Sign me up



Copyright © 2023 Informa UK Limited [Privacy policy](#) [Cookies](#) [Terms & conditions](#)

[Accessibility](#)



Taylor & Francis Group  
an **informa** business

Registered in England & Wales No. 3099067  
5 Howick Place | London | SW1P 1WG