



Free access

15,950 Views | 38 CrossRef citations to date | 119 Altmetric

Listen

Review Article

Environmental implications of planned obsolescence and product lifetime: a literature review

Julio L. Rivera & Amrine Lallmahomed

Pages 119-129 | Received 05 Sep 2014, Accepted 18 Sep 2015, Published online: 28 Dec 2015

Cite this article <https://doi.org/10.1080/19397038.2015.1099757>

Check for updates

Full Article

Figures & data

References

Citations

Metrics

Reprints & Permissions

View PDF

Abstract

The aim of this task is to evaluate recent literature on the practical significance of discussing design, the value of conceptual

We Care About Your Privacy

We and our 843 partners store and/or access information on a device, such as unique IDs in cookies to process personal data. You may accept or manage your choices by clicking below, including your right to object where legitimate interest is used, or at any time in the privacy policy page. These choices will be signaled to our partners and will not affect browsing data. [Privacy Policy](#)

We and our partners process data to provide:

Use precise geolocation data. Actively scan device characteristics for identification. Store and/or access information on a device. Personalised advertising and content, advertising and content measurement, audience research and services development.

List of Partners (vendors)

I Accept

Essential Only

Show Purpose

nce (PO) and to achieve context and performed the recent ends in the ve a . The product ctors along e influences facilitate



the definition of different scenarios are given. These strategies may serve to increase the reliability of environmental assessment throughout a product life cycle.

Introduction

Keywords: [Planned obsolescence](#) [product lifetime](#) [environmental impacts](#) [designer](#) [business models](#)

Product design

Broader implications of planned obsolescence

Introduction

Sustainable business models

Products are developed in a sense to provide answers to needs identified in society.

Besides responding to needs, the product development process should acknowledge the need for ease of manufacture, ease of distribution and use. Manufacturers adopt

new strategies to sell more products, more frequently, to fulfil customers' needs, demands and wants. The strategy of shortening a product's lifespan is called planned obsolescence (PO).

The term PO was coined in the United States in the late 1920s (Slade [2009](#)). PO or built-in obsolescence in industrial design is a strategy of planning or designing a product with a limited useful life, so it will become obsolete, unfashionable or no longer functional after a certain period of time (Bulow [1986](#)). Creating goods with a limited lifetime led to increased consumption. It was a business strategy to create mass consumption, which the country needed in a time of economic crisis. Producers who once were producing quality products started to find ways to make goods either more fragile, or difficult to repair so that people would be forced to replace the older version sooner. This led to increased consumption and a shorter time to maximize profit.

This work explores the impact of planned obsolescence on product design and the environment. It discusses the role of designers in the development of products with a limited lifetime and the impact of this on the environment. The paper seeks to define planned obsolescence and its impact on the environment. It also seeks to develop sustainable business models for products from a design perspective.

In this article



Abstract reduce the environmental impacts of the product. The manuscript proposes methods and solutions to integrate PO into the product design process.

Introduction

A result of shorter lifespan² is that more waste is produced which in many circumstances ends up in landfills. From a life cycle thinking³ perspective, the resource efficiency of such systems is said to be very low (King et al. [2006](#)). The consideration of product lifetime at the early design stage is then recognized as an important factor. At the same time, the end-of-life⁴ stage is equally crucial to the life cycle as it is when materials could be recovered. This short description of a product lifespan demonstrates the need for product life cycle management⁵ to better design closed systems.

Discussion

Conclusions Despite the relevance of product lifespan, there is debate about how to best determine

Acknowledgements the life duration of products. Lifetime is intrinsic to the product, and also depends on consumer attitudes towards their products, for example, their role in product

Disclosure statement

with product lifetime are important, the majority of studies in the literature have

Footnotes

References focused on the economic implications of manipulating lifetime from a monopolist's point of view (Bulow [1986](#); Waldman [1993](#); Choi and Thum [1998](#); Gultinan [2009](#)). In this sense, more production leads to more profits. Another limitation of PO focused studies is that societal aspects are not taken into consideration. In recent years, studies in the field of "sustainable consumption and consumer behavior" started to appear in the literature (Lorek and Spangenberg [2014](#); Reisch and Thøgersen [2015](#)). These studies focus on the important role of consumer behaviour mainly from a "choice" perspective and economics, and not directly quantifying the impact on product lifetime.

The prod... quantitie... into the... devices... cases th... are n... sanita... importan... problem... The obje... on PO with



lifetime. The first step was to explore the definition of PO as used in society. The goal of this step is to understand its origins, how it has been applied and how it has evolved.

The context of obsolescence in industry is described. Four types of PO are summarized and the appropriateness and consequences of their planned lifetime are discussed. To help in the development of the discussion, historical cases of PO are presented.

The second part of this manuscript attempts to make a link between product design and planned obsolescence. For this purpose, the implications of PO on design as well as manufacturing are reviewed and discussed. Here, the main influences of PO on design and manufacturing practices are identified. Special attention is given to the broader implications of obsolescence, which are assessed to proposed ways for improving current design practices.

While the problem of PO is not new, it is understood that changes in business-as-usual activities are needed if the implications of product lifetime are to be given more attention by industry. The third and last part of this study leads to a proposed business framework that provides the basis for product lifetime optimization through design and eventually new business models.

Product obsolescence

This section aims at reviewing the concept of PO as it has been used in the literature to date. There are four types of planned obsolescence. The first one is called technological or functional obsolescence. It occurs when a product is replaced by a newer and better product. This is the most common type of obsolescence and is often the result of technological advances. The second type is called fashion obsolescence. It occurs when a product becomes outdated because of changes in fashion or style. This is often the case with clothing and accessories. The third type is called psychological obsolescence. It occurs when a product is perceived as less desirable because of changes in consumer preferences. This is often the case with luxury goods. The fourth type is called physical obsolescence. It occurs when a product becomes unusable because of wear and tear or damage. This is often the case with electronic devices.

could nevertheless trigger a false sense of need since it is induced by the sellers, and does not come from the customers themselves.

Introduction

Systemic obsolescence consists of altering the system in which the product is used to make it more difficult to use, or by cancelling maintenance services for the product.

Product design

This is the case for many associated products, which depend on each other to provide a function. It happened when videotape readers or cassette readers stopped being

manufactured, while CDs and DVDs were being marketed. Electronic devices can be cited as another example. For some of them, only a few components of the system

become obsolete like the batteries, however if the replacement⁶ supplies are

discarded, or hard to find, the whole product is usually disregarded and upgraded

with a new version (Singh and Sandborn [2006](#); Feldman and Sandborn [2007](#)). It is often

found that disposed products are often repairable and/or reusable (Van Nes and Cramer

[2006](#)), but repairing an electronic device is rarely done because it is often cheaper to

buy a new product (Cooper [2002](#)).

Footnotes

References
The last type is obsolescence due to product failure or breakdown. This type of obsolescence is associated with devices that are purposely designed with one or more conditions such that the product will stop working after a predetermined number of cycles (Latouche [2012](#)). Several objects are deliberately made of lower quality material which chips easily. Plastic toys are often of low quality and break even when used under normal conditions. Some products parts are assembled by sealing two parts together for a single use purpose only; for example, some disposable cameras and watches. This is the ultimate level of obsolescence that can be found. This type is poorly documented

in literature. It is also found in more than one average style of new season is because obsolescence

informat... It is also... than one... average... the o... obso... improve... because... obsolesc...

It is also... than one... average... the o... obso... improve... because... obsolesc...

It is also... than one... average... the o... obso... improve... because... obsolesc...

It is also... than one... average... the o... obso... improve... because... obsolesc...

It is also... than one... average... the o... obso... improve... because... obsolesc...

It is also... than one... average... the o... obso... improve... because... obsolesc...

In this article



An important term related to PO is “expiration date”. The expiration date appears in products labels to indicate the date when they should be discarded. It is a date after which the manufacturer no longer guarantees the quality of the product. After that date a product may fail, show reduced efficiency, quality or taste (in case of food or any other perishable goods). Hewlett-Packard (HP) printers, for example, are designed with ink cartridges which have a given expiration date after which they stop working whether full or empty. HP claims that this measure is meant to preserve a good ink quality. A microchip inside the ink head will control this date; the cartridge needs to be replaced for the printer to work again. There is also a documented case for medications, where it has been reported that the “active ingredients” are still functional after several years (Cantrell et al. [2012](#)). Medical laboratories do not inquire about the duration of active ingredients after 1–5 years. This leaves much doubt as to whether expiration dates are to be trusted, or whether they are made as such to significantly increase sales. In some circumstances, there are policies that producers need to comply with. Either a strategy for boosting sales or for liability reasons (protecting themselves from legal issues), “expiration date” is a controversial aspect associated with PO.

Recent use of PO in the literature

Based on the previous section, a task was put on to learn how product lifetime factors, including environment criteria, have been reported in the literature. The goal was mainly to identify if product lifetime has been given proper consideration in design and the technical literature. Three time periods were selected: 1980–1989, 1990–1999 and 2000–2009.

The results of the search are presented in Table 1. The search was conducted in journals, including product lifetime articles. The results were analyzed for all articles. It is clear that each article has been researched. No information has been published about the product's lifetime.

aspects of products, and is mainly discussed in economic, management and business journals. Obsolescence has basically not been given much attention in engineering and design journals. While it was not possible to identify a trend on the specific areas of research that have witnessed an increase, it is seen positively that more scholars are thinking about broader products aspects associated with obsolescence.

Broader implications of planned obsolescence

Table 1. Literature search for keywords associated with product lifetime.

Sustainable business models

Download CSV Display Table



Conclusions

Historical cases of product obsolescence

Acknowledgements

Around the early 1870s, people were already using disposable shirt collars in the United States. This practice extended to prophylactics in the 1880s, and then to other products concerning personal hygiene such as sanitary pads, tampons Kleenex and even razors (Latouche [2012](#)). This practice of producing short-lived products was further extended to cars and light bulbs. Since the 1930s, PO became a real way to do business. A strategy at that time was to produce commercials targeted at women since they were thought to consume more personal goods than men. In the 1950s, Motorola created one of the first portable radios, which could not be repaired thus paving the path for the purchase of new versions (Latouche [2012](#)). As described by Vance Packard, in the early years of mass production, society was consistently being manipulated to always develop desirability for what it does not have (Packard [1960](#)).

In the ne



Light b

The first

hio, USA in

1895, an

, filaments

tech

out in place

to impos

made it

possible

restrict the

bulb life

work over

1000 h,

drastically

increase

In this article



Stockings

Abstract

During the 1950s to the 1960s, DuPont Company started producing nylon stockings for women. This product had a big success since the stockings were sturdy and resistant. Based on that success, and the fact that they were long lasting, the nylon fibres were modified to make them more fragile. The stocking started to tear more easily and had to be replaced regularly (Dannoritzer [2010](#)). Nowadays, nylon tights rarely last for more than two or three uses.


Plant breeding

Plant breeding is a well-known but not often cited example of PO affecting the seed industry. Farmers used to save seeds for seasons to come. Often crops are destroyed by plagues, and to control plagues, seed producers develop new varieties that are more resistant. The new seeds are commonly useful for shorter periods of time.

Consequently, farmers are more often forced to buy seeds for every season (Rangnekar [2002](#)).

Implications

The effects of PO on all pillars of sustainability⁷ are not well documented. PO is not acknowledged by industries, and no public information describes their decision-making process regarding how they target or define product lifetime. Consequently, the problem of planning and designing in anticipation of obsolescence is not fully understood for most types of goods. The most documented cases are mainly found in



Social dimension

Abstract

The need for continuous improvement in corporate strategies is often seen as a way to introduce new pieces to existing products. Firms update their technology very often to reduce the risk of competition with used market goods (Guiltinan [2009](#)). However, there is a risk for producers who incentivize the release of new products into the market. The incentive will be too high if the value of the older units decreases when the producer makes the new product available. Even when improvements are not obvious on the new product, people still feel that their product is “out of fashion” owing to continuous upgrading (Boone, Lemonb, and Staelin [2001](#)).

Also, consumers’ purchasing behaviour is influenced by product lifetime. According to a study, consumers tend to consider that cheaper products will break sooner than more expensive products (Cox et al. [2013](#)). Customers attribute a low value to such types of goods. Hence, the perception of product reliability¹⁰ plays a very significant role on consumer behaviour.

At the same time, the consumer has a role for product lifetime. Their participation and responsibility for giving proper maintenance to products is critical to at least satisfy the expected product lifetime.

Economic dimension

The three historical examples describe cases of goods that are relatively cheap and affordable by different social levels. Consumers are usually not aware of the cost that needs to be accounted for during the purchase of the product (Kellerman [1992](#)). Most people just buy and use products and end up buying a new product. If the product is cheap, they will buy a new product. Producers of monopolists are not the goods with a short period, thus increasing constant and high themselves since they have obsolete



Finally, government has the power to control the price of energy and raw materials. Governments also play a critical role by establishing taxation programmes and providing incentives for the adoption of cleaner methods and technologies (e.g. the Energy Star programme in the USA for home appliances sponsored by the US Environmental Protection Agency, and the CAFE standards for automobile fuel efficiency). At the same time, governments establish regulations for waste disposal, for example, the European End of Life Vehicles Directive, limits to emissions of pollutants and usage of chemicals (REACH) and therefore are also concerned with the management of PO (European Chemical Agency [2010](#)).


Environmental dimension

The underlying principles of PO are that the design process is explicitly in favour of more fragile goods. For that purpose, engineers are driven to design short-lived products. Products, and components, become outdated and unless there is an extended producer responsibility programme, these are disposed of and are rarely reused, with the exemption of some markets where remanufacturing plays a significant role, for example, the automobile industry.

From the three historical cases only a few types of lights bulbs are recyclable providing the opportunity to improve the environmental performance throughout the life cycle. Stockings are currently discarded as waste. The life cycle loop is not closed creating pollution both from the product and its packaging. While the environmental impact of stocking may not seem imminent as compared to toxic materials used in certain bulbs, they represent a clear example of an open product loop that ends up in a landfill.

Product

The role of... needs into
para... a product.
The m... velopment:
the need... ed (tells
what the... ed, (ii)
system-l... y design of
key com... metry,



prototypes, (v) production ramp up: manufacture of the product with the intended production system, (vi) qualification and (vii) validation (Ürlich and Eppinger [2000](#); Magrab et al. [2009](#)).

Product obsolescence

While these sequential steps provide a systematic way for developing a product, it follows the traditional approach that is too focused on the technical aspects of the

product. As it is, the approach does not acknowledge the need for integrating the environmental dimension of the product. To date, scholars have argued that

environmental aspects should be considered early in the product development process if environment performance is to be improved (Arena, Azzone, and Conte [2013](#);

McLellan and Corder [2013](#); Hetherington et al. [2014](#); Wender et al. [2014](#)). According to

Ullman's design paradox, the planning process is the best moment to introduce

environmental aspects, as it is the time where it is the least expensive. Otherwise, with the progress of the project, changes become harder and more expensive to introduce

(Ullman [1992](#)). Not only does the product development process has to be in line with

the current technology, but it also needs to respect the specifications and the functions of the reference object (Kobayashi [2006](#); Feldman and Sandborn [2007](#)).

The design of products and the integration of environmental aspects depends today on the availability of tools and methodologies that will facilitate linking product (e.g.

material choice) to product performance (e.g. impact to human health, ecotoxicity). The complexity and usability of tools vary, and can be as simple as a checklist (Lindahl

[2006](#)). Whenever small- and medium-sized companies use design for the environment tools, they use them for specific cases. The use of such tools depends on the potential

and expected benefits. However, the use of such tools depends on the potential and expected benefits. However, the use of such tools depends on the potential and expected benefits.

they are not fully integrated into the design process. Similar cases were previously reported (e.g. Lindahl [2006](#)).

integrating environmental aspects) were identified. The use of such tools depends on the potential and expected benefits.

Design for the environment (DfE) tools have been implemented in the design process of products. The problem is that at this stage, when all the technical aspects of the product are defined, it is difficult to integrate environmental aspects.

Design for the environment (DfE) tools have been implemented in the design process of products. The problem is that at this stage, when all the technical aspects of the product are defined, it is difficult to integrate environmental aspects.

The problem is that at this stage, when all the technical aspects of the product are defined, it is difficult to integrate environmental aspects.

Hence, the potential of LCA to inform decision-making at the design level is not fully

exploited.

Introduction

Product obsolescence

Broader implications of planned obsolescence

Broader implications of planned obsolescence

Creation and longevity of supply chain

Sustainable business models

A more rapid diffusion of information between competitors, and the rapid evolution of

customers needs is seen as one of the causes for shortening lifetime and increasing the

availability of new products in the market. Products that took a longer time to develop

are more likely to become outdated more quickly than expected (Ameri and Dutta

Acknowledgements

2005). Airplanes and military devices are made to last several years. However, in

Disclosure statement

designing such sustainment dominated systems, one must ensure that the product can

still be procured from its original source or will reach logistical obsolescence. There

have been various proposed approaches to monitor obsolescence, and solutions to

References

solve the problem of the obsolescence of electronic products and components have

been implemented. Commercial tools exist for tracking the availability of electronic

components (Feldman and Sandborn 2007). One approach for sustained supply chain is

to implement efficient inventory and stocking management practices, in addition to

having long-lasting communication with partner suppliers.

Another solution is to buy on aftermarkets if these exist, for example, remanufacturing

markets for automobile components (e.g. radiators, starters).

Small b



Small bu

European

Commis



) is made

h have an

balance

Most cou

upper limit

of 500 e

known to

In this article



rapidly than larger firms. However, more SMEs fail to take the opportunity to innovate due to their strategy, company culture and management type. They are also more careful when taking risks as they are highly focused on the company's survival, rather than on growing their competitive advantage. This attitude towards risks often makes them more reluctant to renew their products as rapidly as large firms launch their products in the market.

Broader implications of planned obsolescence

Consumer behaviour

Sustainable business models

In the case of consumers, the durability of the product will depend on in situ functions; therefore design needs to be more user based to promote this durability. Durability is more often seen like a technical aspect rather than an environmental issue (Cooper [2004](#)). This vision poses a real challenge when efforts are put in place to consider environmental aspects. Bakker et al. ([2014](#)) have emphasized that together with the functional durability, there were the emotional and aesthetical durability, which altogether could contribute to the product life extension. It is possible that one or more functions of the product induce planned obsolescence, and generate the replacement of the product. The functions often reveal what aspects really count for the user. By understanding functional priorities, lifetime could be adapted to reduce the feeling of obsolescence.

The emergence of remanufacturing markets provides an option to consumers. For example, buying a used or remanufactured component is cheaper than buying a new automobile motor. These markets are more common on developing countries where the acquisition power of society may play a critical role on their decisions and where people show great interest in buying a used car. In these countries, buying a new car is often seen as a critical financial decision. Aftermarket services like this it could be a good option, er, not solely.



Life cycle

LCA can

many LC

distance

In this article



Abstract
Introduction
Product obsolescence
Product design
Broader implications of planned obsolescence

sufficient information for decision-making. However, the information do not account or capture the absolute impact that is attributed to the consumer. in the case of the automobile, it is the consumer behaviour that will influence much of the overall environmental impact in the use stage (Cheah [2013](#)). For the automobile [internal combustion engine], the greatest environmental impact is associated with the use stage due to the burning of fossil fuels (MacLean and Lave [1998](#)).

Sustainable business models
Discussion
Conclusions
Acknowledgements
Disclosure statement

In general, LCA allows the quantification of all materials and resources input into facility to manufacture an automobile, however LCA as it is currently defined and used does not account for proper consumer behaviour. For example, in the work of Berger et al. ([2012](#)) the water consumed at the use stage for maintenance and washing was not taken into consideration. The uncertainty associated with neglecting this important natural resource hampers and limits such studies in a time when global water resources are starting to scarce.


Footnotes
References

Considering the relevance of consumer behaviour on the environmental impacts of a product, the impacts could be classified as “elastic”. Here, the term elastic is used to describe how the magnitude of such reported impacts will vary depending on many different factors including study boundaries (inclusion or omission of maintenance, for example) and consumer behaviour (driving and water use).

Sustainable business models

A business
impleme
([2013](#)) p
as susta
efficienc
with ren
the a
practice
practice
economy
restruct

rise will
ken et al.
onsidered
eco-
resources
y principle,
ency. These
ese
ating
or
ons and



Specific limitations of the current literature on business model were identified. These limitations are believed to cause the stagnation of any effort for creating sustainable business. Among the limitations it was found that often businesses did not fully integrate sustainability into the whole context of the company. In other words, the business strategy, which is included in the mission and vision of the company, is not always transmitted to the tactical (managerial) and operational levels of the industry. It is in these “lower” levels that the business model is transformed and integrated into the product development process. Another limitation is that managers failed to see sustainability from a systemic point of view. A narrow view and valorization of sustainability reduces the chances to modify business-as-usual practices.

Managers need to commit to integrate the sustainability aspects in projects to build the foundation that will facilitate transitioning into new business models (Hallstedt et al. 2013). The environment should be seen as a part of the business strategy, and integrated as early as possible into the product development process. Tools need to be developed and implemented at different business levels that will allow the understanding of trade-offs among product alternatives both in the short and long terms. For a long-term planning, new business models may opt to price the fulfilment of a need, rather than the unit product (Boons and Lüdeke-Freund 2013). Beyond traditional environmental assessment tools like LCA, industries need to incorporate additional tools like risk analysis and multi-criterion assessment to be able to predict the broader consequences (both positive and negative) of their actions and decisions (Hallstedt and Isaksson 2013).

A critical this stag are more efficient the econ environ serv while co reduce t when th produce framew

ucts. It is at se impacts or not materializing ding a products as a way to e recovery e so-called 2). On this centives for

2002). This framework is at times seen as negative since higher responsibilities for the producer are required. Some companies see PSS as an extension of their existing services, while others use it as an innovative business asset. Here, it is argued that in order to provide services consumers' behaviour needs to be considered at the early stage of product development. The rationale for integrating different actors responds to educational needs since "new mental models" will be needed in order to transition from a product to a service economy. For new PSS models to be adopted, the factors influencing product lifetime need to be understood.¹¹

Product elimination practices are common in companies, whereby products, which do not fulfil a set of previously predetermined criteria are often discontinued. Product discontinuance is also driven by market changes, innovation, arrival of new and enhanced models and by changes in business strategies. Based on situational, product-related or organizational variables; and depending on the different cases, the elimination strategy will include corrective actions and evaluation stages. Two common strategies are (1) drop immediately and (2) phase out slowly (Avlonitis [1983](#)). The strategy by which the product is discontinued depends itself on various factors such as competition, customer acceptance and stock of raw materials available among others. The strategy is considered critical to maintaining the financial and organizational longevity of the company (Avlonitis [2000](#)). The final aim is to reap the maximum benefit from the remaining stocks, while efficiently reorganizing resources and services in the least disruptive way for customers' acceptance. However, consumers are most often unaware of future discontinuance and are informed of the product elimination by the seller not the producer. The role of the seller in communicating producers' decisions is

seen as a key element of the product elimination strategy (Ginnis [1975](#)). In the past, product elimination has been described as a "descriptive" process, while the cited authors argue for a more "strategic" approach. Few studies have examined the process of product elimination through the lens of product lifecycle management. The main research objectives are: (i) to explore the factors influencing product elimination decisions; and (ii) to identify the key aspects of product elimination strategy. The paper is structured as follows: the first section discusses the product elimination process (Cooper [1996](#)), the second section reviews the literature on product elimination strategy, the third section discusses the research methodology, the fourth section presents the results and the fifth section concludes.

Abstract
Introduction
these factors three important stakeholders associated with product obsolescence are identified: businesses, designers and engineers and consumers.

Introduction

Product obsolescence
Product design
Targeting and implementing the above-mentioned practices required a solid network of key actors and/or stakeholders (Baumann, Boons, and Bragd 2002). A three-actor model is presented in Figure 1.

Broader implications of planned obsolescence

Figure 1. Description of proposed three-level model: business, designer and consumer.

Sustainable business models

Discussion


Conclusions

Acknowledgements

Disclosure statement

Footnotes

References



Display full size

Discus

Normally

are less

consump

advisat

further

products

bridges

their ene

resource

×

tal impacts

may be

acts can

goods. Static

such as

tant due to

s for

rigerators,


In this article

↑

et al. (2014) studied refrigerators with long lifetimes of 20 years and laptops, which last 4–7 years. The authors found that it was more adapted to choose a strategy as adequate as possible to economic constraints and market pressures. For objects with relatively static design changes, a product life extension could be considered. However, for laptops that are rapidly changing, it was more viable to choose remanufacturing and recycling strategies. Dynamic products often use more energy during the use phase (e.g. automobiles).

A scenario could be considered where the designer responds to a business strategy that fixes product lifetime to X number years (based on experience). While the designer will have no choice to influence product lifetime, he/she will have the freedom to exploit end-of-life aspects to maximize value recovery and reduce impacts. Among the options, the designer could consider material selection and disassembly logistics. While these two options are seen as potential ways to influence product lifetime, care should be taken since win-win routes for full lifecycle environmental improvement are not always guaranteed, nor the process is straight forward. For example, substitution of steel for plastics and composites in the automobile resulted in more complicated disassembly processes (Van Hoek 2002).

Optimization of end-of-life practices involves several actors including customers, product collecting entities and value recovery entities. In some cases it could be seen as if the producers passes along the product responsibility to these “after-use” actors. It could be stated that such practices are not sustainable, but it describes current practices that may be a consequence of the absence of proper value recovery




Abstract
Introduction
Product obsolescence
Product design
Broader implications of planned obsolescence
Sustainable business models
Discussion

In terms of design approaches, design for “end-of-life” will make material recovery easier. At the same time it will strive for making disassembly operations economically feasible to allow the establishment of recovery networks and infrastructure. Such efforts may lead to lower environmental and social impacts. In ideal scenarios, these networks could also be established in developing countries to contribute to social development through acceptable work practices and job creation. A need to optimizing material flows is deemed important to ensure the sustained operation of these networks. The successful implementation of recovery networks will hence provide ways to mitigate the environmental and social impacts of product obsolescence.

Conclusions
Acknowledgements
Disclosure statement
Footnotes
References

The traditional product design process focuses mainly on product technical functions and costs. No coordination was found in the literature between the traditional approach and current sustainability needs. From a sustainability perspective, a designer on the twenty-first century is expected to go beyond traditional boundaries to incorporate as much as possible environmental and social criteria into the design process. In response to these needs, the literature shows a promising increase in research that aims at narrowing the gaps between design and sustainability. Looking for solutions at the “root of the problems” has the greatest potential for helping in narrowing this gap.

Engineers continue to experience difficulties due to the complexity of mixing technical, environmental and other criteria into the product development process. It is this situation that is considered a “root of the problem”. In response to these difficulties, designers often pursue a streamlined analysis and hence focus on a few particular aspects of the product instead (Lindahl [2006](#)). Hence, there is a need for developing



components and their interactions. Fatigue analysis is not only affected by the load (weight or mass). The duration of the load and type will also influence the lifetime. Exposure to corrosive environments may lead to failure. Failure mechanisms will also depend on material type and on exposure temperature (e.g. melting of plastic components) (Stephens et al. [2000](#)). For a complex system, expert experience and judgment becomes vital. When exploring the design of products there are factors that serve to guide the consideration of product lifetime. Five suggested factors are:

Sustainable business models

(1) The functions of the product.

Discussion

(2) The design framework of the product.

Conclusions

(3) The parameters which need to be integrated into the system.

(4) The economic aspect.

Acknowledgements

(5) The drivers which lead to renewal of the product.

Disclosure statement



Each actor in Figure 1 serves a role in the product life cycle (from development to use to disposal). Business and product/service roles are included that would permit the incorporation of non-traditional practices. This model states that the business strategy influences all the other factors, as it determines the way a product is made. Secondly, the designer who is influenced by the management's decisions will use the required criteria, and designs the product accordingly. The designer therefore may, or may not be able to take durability into consideration. Finally, the consumer behaviour is important in the use phase of the product since behaviour will modify the environmental performance. At this stage the consumer also collects knowledge about the product, knowledge that in the best scenario will make its way back to the business.

In development of a product life cycle, there is no easy way to predict the lifespan of products. In some cases, the lifespan of a product is determined through the application of a mathematical model. However, in other cases, the application of a mathematical model is not sufficient to estimate the lifespan of a product. In a time span (A), the product is used in a time span (B), and in a time span (C), the product is known cases of product failure. Publishing a product with a useful feature is a challenge for a business.

Figure 2. The product life cycle value chain.

marketed, sold, used and disposed of. The scheme establishes the hierarchy of the system; namely that of top managers on product designers. The bottom of the chain includes consumers and waste managers, which influences the lifetime of the product at the use and disposal stage, respectively. This organization may be optimized to minimize the environmental impacts of each stage, namely through a change in the type of interaction dominating the business structure. With more consumer feedback, a designer will be better prepared to anticipate the current and future uses of a product, as well as future mechanisms. As there are significant risks involved when making predictions, many scenarios should be considered. Through creativity techniques, new life cycles can be designed to explore their potential environmental impact thus allowing the designers to make informed decisions (Niemann, Tichkiewitch, and Westkämper 2008).

Figure 2. Representation of knowledge and interactions between actors of the value chain



Display full



The environmental and social aspects of a product's lifecycle are becoming increasingly important for companies. To integrate environmental and social aspects into their business strategy, companies need to identify the best set of options. A strategic approach: the best set of options is concerned



Abstract
Introduction
Product obsolescence
Product design
Broader implications of planned obsolescence

generate profit for the company. The technical level is concerned with the technical feasibility of the product, by taking into account the cost of production. Life cycle costing has been the traditional factor controlling at the decision-making stage. The societal/environmental level is concerned with customer's expectations, taking into account the environment. This set of criteria is not fixed as each company has its own notion of what is important to their business and the places where they operate, sell and provide services.

Sustainable business models
Discussion
Processes
Acknowledgements
Disclosure statement

While the designer, training, competences, knowledge and experience are critical for extending the product life, a smooth transition towards a more holistic product design process requires the understanding of drivers and business roles. Paving the road in this direction is challenging since strategies for managing obsolescence are not that well understood and documented. At the same time, evaluating the lifetime of products is no easy task and proper knowledge and tools are needed.

Footnotes
References

Actors (e.g. producers, consumers, intermediaries, government) should acknowledge their responsibilities and their roles if impacts throughout each life cycle stage are to be reduced. At the industrial level, a call is expressed for the design of business models that respond to concrete goals and that have a strong foundation on benchmarking. These models need not only be implemented at top industrial levels, but transmitted and injected into all levels of the industries (strategic and tactical) using top-bottom approaches (Zhang et al. [2013](#)). At the same time designer should push for bottom-up approaches to influence top managers. The models need to be designed in a way that they provide room for adaptation to new knowledge, new markets and new visions

while leading to a more sustainable industrial, environmental and economic future. The right track for the future is to be found.

Conclusion
The goal of this article is to provide a product lifetime perspective on the "right track" for the future. Using the framework of the product lifecycle, the article provides a foundation to

Abstract
Introduction
Product obsolescence
Product design
Broader implications of planned obsolescence
Sustainable business models
Discussion


technological devices was explored, and part of the analysis attempts to see the consequences on society. This work has reaffirmed that the environmental impact directly associated with a product lifetime is given limited consideration in the product development process. Minimizing products lifetime impacts is not the sole responsibility of the designer, but producers, consumers, government and business and service providers. It is acknowledged that the complexity of the product development process, understanding of industrial drivers and will, the innovations cycle, marketing, system dynamics and knowledge availability among others should all be taken into consideration for a holistic analysis of product systems.

Conclusion
Acknowledgements
Disclosure statement
Footnotes
References

The main conclusion of this work is that more attention should be given to the broader impacts of product lifetime through the life cycle. Such attention should first start at the management level. Strategies to improve overall performance should be reflected in business models and communicated downstream, injected into the tactical and operational levels. Business models should clearly define the path and role of design in order to facilitate the translation of the strategies into action. To concretize the business models, designers and engineers should be given proper tools and opportunities to inform decision-making. An initial step may include a look at design tools and methods, role of policy, customer perception and cultural factors. Ease of usability, adaptation and modularity of design tools should be elements considered when tools are developed or selected. It is expected that new business models will trigger changes in other business models along the supply chain and service provider networks.

Recent s
products
knowled
effect of
engineer
oversha
Ther
In order
environm
including
as produ

household
standing of
ure 2). The
entions of
y be
goals.
the
n life cycles,
longevity
nario for



scarcity are expected to force businesses to novel business models that look deeply at the way they create, deliver and capture value from a system perspective. Landfill space is also becoming critical. Hence, new paradigms are needed to value all types of resources at every stage of the product life cycle.

This work positions product lifetime as a critical element of the product development process. However, certain limitations were identified that need to be overcome. Case studies are needed to provide the necessary evidence to judge to what level the development process could be improved by considering the factors described in this manuscript. It is expected that this work will prove useful for designers and industry, and that new initiatives and methodologies that consider lifetime will be developed.

Acknowledgements

Acknowledgements

We thank Conny Bakker at Delft University of Technology, and Anthony Hua and Kiyan Vaddoudi at Troyes University of Technology for their comments and helpful suggestions.

Disclosure statement

No potential conflict of interest was reported by the authors.

Notes

1. Terms... bly... al function
2. Lif... rive the... expect
3. Consi... from... material... agement... (recover

4. End-of-life is the stage when the original function of the product is to some extent no longer achievable and the product exits in the use stage; the product enters a new stage for material recovery, reuse or to be in a landfill among some management options.

5. Life cycle management is a strategy to reduce the product environmental impact (Cooper [2002](#)) of planned obsolescence

6. This situation is referred to as procurement life: the period for which the part or component was (or will be) available for procurement from its original manufacturer after purchase (Sandborn, Prabhakar, and Ahmad [2011](#)).

7. Sustainability has three pillars: social, economic and environmental.

8. The words “designer” and “engineers” are used in this manuscript to describe the actions taken for the development of a product; these actions may be taken by one person, a group, a centralized or decentralized team.

9. Ecodesign integrates all the aspects of the life cycle into the product design and development processes with the goal of reducing the environmental impacts (ISO 14006 [2011](#)). However, one limitation of ecodesign is that it does not take into account individual consumer behaviours and other network externalities related to new products as they are too complex to predict and analyse. Network externalities refer to the value consumers attribute to a given product (Katz and Shapiro [1985](#)).

10. Reliability refers to the performance of a product after purchase. It describes how well a pr

11. Factor... product-service systems



Refer

1. Aktas, ... Building
LCA R ... 37-

Introduction

2. Almalki, S. J., and S. Nadarajah. 2014. "Modifications of the Weibull Distribution: A Review." *Reliability Engineering & System Safety* 124: 32-55.

Product obsolescence

Broader implications of planned obsolescence

3. Amaya, J., A. Lelah, and P. Zwolinski. 2013. "Environmental Benefits of PSS Strategies: A Bicycle Sharing System Case Study." In *The Philosopher's Stone for Sustainability*, edited by Y. Shimomura and K. Kimita. 339-344. Berlin: Springer.

Sustainable business models

Conclusions

Acknowledgements

4. Ameri, F., and D. Dutta. 2005. "Product Lifecycle Management: Closing the Knowledge Loops." *Computer-Aided Design and Applications* 2 (5): 577-590. doi:10.1080/16864360.2005.10738322.

Disclaimer statement

Footnotes

References

5. Arena, M., G. Azzone, and A. Conte. 2013. "A Streamlined LCA Framework to Support Early Decision Making in Vehicle Development." *Journal of Cleaner Production* 41: 105-113. doi:10.1016/j.jclepro.2012.09.031.

6. Avlonitis, G. J. 1983. "Product Deletion Decision and Strategies." *Industrial Marketing Management* 13: 77-85.

7. Avlonitis, G. J. 1983. "Product Deletion Decision and Strategies." *Industrial Marketing Management* 13: 77-85. doi:10.1016/0278-6782(83)90037-5



8. Baines, W. E., and M. R. Roy, et al. 2001. "The Business Case for Product-Service Systems." *Journal of Manufacturing Systems* (10): 1543-1552.



9. Bakker, C., F. Wang, J. Huisman, and M. den Hollander. 2014. "Products That Go
round: Exploring Product Life Extension through Design." *Journal of Cleaner
Production* 69: 10–16. doi:10.1016/j.jclepro.2014.01.028.

[Web of Science](#) [®] | [Google Scholar](#)

Product design

10. Baumann, H., F. Boons, and A. Bragd. 2002. "Mapping the Green Product
Development Field: Engineering, Policy and Business Perspectives." *Journal of
Cleaner Production* 10 (5): 409–425. doi:10.1016/S0959-6526(02)00015-X.

[Web of Science](#) [®] | [Google Scholar](#)

Conclusions

11. Berger, M., J. Warsen, S. Krinke, V. Bach, and M. Finkbeiner. 2012. "Water Footprint of
European Cars: Potential Impacts of Water Consumption along Automobile Life
Cycles." *Environmental Science & Technology* 46 (7): 4091–4099.

[PubMed](#) | [Web of Science](#) [®] | [Google Scholar](#)

Footnotes

12. Bocken, N. M. P., Samuel W. Short, P. Rana, and S. Evans. 2013. "A Literature and
Practice Review to Develop Sustainable Business Model Archetypes." *Journal of
Cleaner Production* 65: 42–56. doi:10.1016/j.jclepro.2013.11.039.

[Web of Science](#) [®] | [Google Scholar](#)

13. Boone, D. S., K. N. Lemonb, and R. Staelin. 2001. "The Impact of Firm Introductory
Strategies on Consumers' Perceptions of Future Product Introductions and Purchase
Decisions." *Journal of Product Innovation Management* 18 (2): 96–109.
doi:10

14. Boons
State-
45
Innovation:
er Production



15. Boons
Coord
50959-
6526(

In this article



6. Bulow, J. 1986. "An Economic Theory of Planned Obsolescence." The Quarterly Journal of Economics 101 (4): 729-749. doi:10.2307/1884176.

Introduction

[Web of Science](#) [®] | [Google Scholar](#)

Product obsolescence

7. Cantrell, L., J. R. Suchard, A. Wu, and R. R. Gerona. 2012. "Stability of Active

Product Design

Ingredients in Long-Expired Prescription Medications." Archives of Internal Medicine

Broader implications of planned obsolescence

172 (21): 1685-1687. 10.1001/archinternmed.2012.4501

Sustainable business models

[PubMed](#) | [Google Scholar](#)

Discussion

8. Cheah, L. 2013. "Use Phase Parameter Variation and Uncertainty in LCA: Automobile

Conclusions

Case Study." In Re-Engineering Manufacturing for Sustainability, edited by A. Y. C.

Acknowledgements

Nee, B. Song, and S.-K. Ong, 553-557. Singapore: Springer.

Disclosure statement

[Google Scholar](#)

Footnotes

9. Choi, J. P., and M. Thum. 1998. "Market Structure and the Timing of Technology

References

Adoption with Network Externalities." European Economic Review 42 (2): 225-244.

doi:10.1016/S0014-2921(97)00065-2.

[Web of Science](#) [®] | [Google Scholar](#)

10. Coase, R. H. 1972. "Durability and Monopoly." The Journal of Law and Economics 15:

143-149. 10.1086/jle.1972.15.issue-1

[Web of Science](#) [®] | [Google Scholar](#)

21. Cooper

Throw

Sustain

Goog



...s and the

to

22. Co

Obs

2284-

...product

...s10603-004-

23. Corde

Survey of

In this article



doi:10.1016/0737-6782(91)90049-5.

Web of Science® | Google Scholar

Introduction

Product obsolescence

24. Cox, J., S. Griffith, S. Giorgi, and G. King. 2013. "Consumer Understanding of Product Lifetimes." Resources, Conservation and Recycling 79: 21-29.

Product design

doi:10.1016/j.resconrec.2013.05.003.

Broader implications of planned obsolescence

Web of Science® | Google Scholar

Sustainable business models

25. Danonowitz, C. 2010. "The Light Bulb Conspiracy." Documentary film.

Discussion

Google Scholar

Conclusions

Acknowledgements

26. European Chemical Agency. 2010. REACH Fact Sheet: Safety Data Sheets and Exposure Scenarios.

Disclosure Statement

https://echa.europa.eu/documents/10162/13563/downstream_en.pdf.

Footnotes

Google Scholar

References

27. Feldman, K., and P. Sandborn. 2007. "Integrating Technology Obsolescence Considerations into Product Design Planning." In ASME 2007 International Design Engineering Technical Conferences and Computers and Information in Engineering Conference, 981-988. Nevada, NV. doi:10.1115/DETC2007-35881.

Google Scholar

28. Guiltinan, J. 2009. "Creative Destruction and Destructive Creations: Environmental Ethics..."

doi:10...

29. Hallstam... consequences of... of the 19th... monies Vol.

9: Des...

Goog...

30. Hallstam... 2013. "A...

In this article



Conference IDETC/CiE, 1-10 Oregon, OR: The American Society of Mechanical Engineers.

Product obsolescence
Google Scholar

Product design

31. Hetherington, A., A. Borrión, O. Griffiths, and M. McManus. 2014. "Use of LCA as a Development Tool within Early Research: Challenges and Issues across Different

Broader implications of planned obsolescence
Sustainable business models
Sectors." *The International Journal of Life Cycle Assessment* 19 (1): 130-143.
doi:10.1007/s11367-013-0627-8.

Discussion

Web of Science ® | Google Scholar

Conclusions

Acknowledgements

32. Hise, R. T., and M. A. McGinnis. 1975. "Product Elimination: Practices, Policies, and Ethics." *Business Horizons* 18 (3): 25-32.10.1016/0007-6813(75)90049-X

Disclosure statement

Web of Science ® | Google Scholar

Footnotes

References
33. HP. "Hp Support: Ink Expiration." Accessed 2014. <http://support.hp.com/us-en/document/c01764161>

Google Scholar

34. Huang, G. Q. 1996. *Design for X: Concurrent Engineering Imperatives*. Netherlands: Springer.10.1007/978-94-011-3985-4

Google Scholar

35. Huang, G. Q. 2000. "Design for X: A New Engineering Paradigm: Proceedings of the 1999 International Conference on Design for X, Edited by ACM, 323-330." *Design for X: Concurrent Engineering Imperatives*. Dordrecht: Kluwer Academic Publishers. doi:10.1007/978-94-011-3985-4_17

Google Scholar



36. Huang, G. Q. 2000. "Design for X: A New Engineering Paradigm: Proceedings of the 1999 International Conference on Design for X, Edited by ACM, 323-330." *Design for X: Concurrent Engineering Imperatives*. Dordrecht: Kluwer Academic Publishers. doi:10.1007/978-94-011-3985-4_17

37. ISO. 2000. "ISO 9000:2000 Quality Management Systems—Requirements for

Introduction

38. Jacquemin, L., P.-Y. Pontalier, and C. Sablayrolles. 2012. "Life Cycle Assessment (LCA) Applied to the Process Industry: A Review." *The International Journal of Life Cycle Assessment* 17 (8): 1028-1041. doi:10.1007/s11367-012-0432-9.

Web of Science® | Google Scholar

Broader implications of planned obsolescence

Sustainable business models

39. Katz, M. L., and C. Shapiro. 1985. "Network Externalities, Competition, and Compatibility." *The American Economic Review* 75: 424-440.

Web of Science® | Google Scholar

Conclusions

Acknowledgements

40. Keeble, D. 2013. *The Culture of Planned Obsolescence in Technology Companies. Thesis, Finland: Open repositories of the Universities of Applied Sciences (UAS).*

Google Scholar

Footnotes

References

41. King, A. M., S. C. Burgess, W. Ijomah, and C. A. McMahon. 2006. "Reducing Waste: Repair, Recondition, Remanufacture or Recycle?" *Sustainable Development* 14 (4): 257-267. doi:10.1002/sd.271.

Web of Science® | Google Scholar

42. Kobayashi, H. 2006. "A Systematic Approach to Eco-Innovative Product Design Based on Life Cycle Planning." *Advanced Engineering Informatics* 20 (2): 113-125. doi:10.1016/j.aei.2005.11.002.

43. Kollmann, R. 2017. *Product Development Studies & Home* 7.x.

44. Lat... Programmée [The a... Goog

45. Levint... escence."



Introduction

16. Lindahl, M. 2006. "Engineering Designers' Experience of Design for Environment Methods and Tools-Requirement Definitions from an Interview Study." Journal of Cleaner Production 14 (5): 487-496. doi:10.1016/j.jclepro.2005.02.003.

Broader implications of planned obsolescence

Sustainable business models

17. Lorek, S., and J. H. Spangenberg. 2014. "Sustainable Consumption within a Sustainable Economy - Beyond Green Growth and Green Economies." Journal of Cleaner Production 63: 33-44. doi:10.1016/j.jclepro.2013.08.045

Acknowledgements

Disclosure statement

18. MacLean, H., and L. Lave. 1998. "A Life Cycle Model of an Automobile." Environmental Science & Technology 32: 322-330.

References

19. Magrab, E. B., S. K. Gupta, F. P. McCluskey, and P. Sandborn. 2009. Integrated Product and Process Design and Development: The Product Realization Process. Boca Raton, FL: CRC Press.

20. McLellan, B., and G. Corder. 2013. "Risk Reduction through Early Assessment and Integration of Sustainability in Design in the Minerals Industry." Journal of Cleaner Production

21. Mont, Journal of Cleaner Production 17.



22. Niema, Sustainable Product Life Cycle Goog

Introduction

54. Rai, R., and J. Terpenney. 2008. "Principles for Managing Technological Product Obsolescence." IEEE Transactions on Components and Packaging Technologies 31 (4): 880-889.10.1109/TCAPT.2008.2005115

Web of Science | Google Scholar

Broader implications of planned obsolescence

Sustainable business models

55. Rangnekar, D. 2002. "R&D Appropriability and Planned Obsolescence: Empirical Evidence from Wheat Breeding in the UK (1960-1995)." Industrial and Corporate Change 11 (5): 1011-1029. doi:10.1093/icc/11.5.1011.

Web of Science | Google Scholar

Acknowledgements

56. Reisch, J. A., and J. Thøgersen, eds. 2015 Handbook of Research on Sustainable Consumption. Cheltenham: Edward Elgar Publishing.10.4337/9781783471270

Google Scholar

References

57. Sandborn, P., V. Prabhakar, and O. Ahmad. 2011. "Forecasting Electronic Part Procurement Lifetimes to Enable the Management of DMSMS Obsolescence." Microelectronics Reliability 51 (2): 392-399.10.1016/j.microrel.2010.08.005

Web of Science | Google Scholar

58. SBA. U.S. Small Business Administration. 2014. Small Business Size Standards. Washington, DC: Government Printing Office.

Goog



59. Sherm... of the
Primar... cycle Time."
Journa... 1540-



60. Singh, ...anning for
Sustai... 5-139.
doi:10



1. Slade, G. 2009. Made to Break: Technology and Obsolescence in America. Cambridge,

MA: Harvard University Press.

Introduction

[Google Scholar](#)

Product obsolescence

2. Stephens, R. I., A. Fatemi, R. R. Stephens, and H. O. Fuchs. 2000. Metal Fatigue in

Product design

Engineering. New York: John Wiley & Sons.

Broader implications of planned obsolescence

[Google Scholar](#)

Sustainable business models

3. Teece, D. J. 2010. "Business Models, Business Strategy and Innovation." Long Range

Discussion

Planning 43 (2-3): 172-194. doi:10.1016/j.lrp.2009.07.003.

Conclusions

[Web of Science](#) [®] | [Google Scholar](#)

Acknowledgements

4. Tukker, A. 2004. "Eight Types of Product-Service System: Eight Ways to

Disclosure Statement

Sustainability? Experiences from SusProNet." Business Strategy and the Environment

Footnotes

13 (4): 246-260. doi:10.1002/bse.414.

References

[Google Scholar](#)

5. Ullman, D. G. 1992. The Mechanical Design Process. New York: McGraw-Hill.

[Google Scholar](#)

6. Ulrich, K. T., and S. D. Eppinger. 2000. Product Design and Development. New York:

McGraw-Hill Companies.

[Google Scholar](#)

7. Van H... chain through

Techn... ment 23 (1):

89-11

8. Val... enging

Strate... aner

Produ...



9. Verheugen, G. 2005. The New SME Definition: User Guide and New Model

Declaration. Luxembourg: Office for Official Publications of the European Communities.

Product obsolescence
Google Scholar

Product design

10. Waage, S. A. 2007. "Re-Considering Product Design: A Practical "Road-Map" for Broader implications of planned obsolescence Integration of Sustainability Issues." *Journal of Cleaner Production* 15 (7): 638-649.

Sustainable business models
doi:10.1016/j.jclepro.2005.11.026.

Discussion | Web of Science ® | Google Scholar

Conclusions
11. Waldman, M. 1993. "A New Perspective on Planned Obsolescence." *The Quarterly Journal of Economics* 108 (1): 273-283. doi:10.2307/2118504.

Acknowledgements

Disclosure statement | Web of Science ® | Google Scholar

Footnotes
12. Wender, B., R. Foley, V. Prado-Lopez, D. Eisenberg, D. Ravikumar, T. Hottle, J. Sadowski, et al. 2014. "Illustrating Anticipatory Life Cycle Assessment for Emerging Photovoltaic Technologies." *Environmental Science & Technology* 48 (18): 10531-10538. doi:10.1021/es5016923.

References

PubMed | Web of Science ® | Google Scholar

13. Wilhelm, W. B. 2012. "Encouraging Sustainable Consumption through Product Lifetime Extension: The Case of Mobile Phones." *International Journal of Business and Social Science* 3 (3): 17-32.

14. Zhang, L., M. Mercier-Laurent, et al. 2014. "Integrating Sustainability into Product Design: A Case Study of a Smartphone." *Journal of Cleaner Production* 74: 54-64. doi:10.1016/j.jclepro.2014.07.011.

15. Zhang, L., M. Mercier-Laurent, et al. 2014. "Integrating Sustainability into Product Design: A Case Study of a Smartphone." *Journal of Cleaner Production* 74: 54-64. doi:10.1016/j.jclepro.2014.07.011.

Download

In this article



Information for	Open access
Authors	Overview
R&D professionals	Open journals
Editors	Open Select
Librarians	Dove Medical Press
Societies	F1000Research
Opportunities	Help and information
Reprints and e-prints	Help and contact
Advertising solutions	Newsroom
Accelerated publication	All journals
Corporate access solutions	Books

Keep up to date

Register to receive personalised research and resources by email

 Sign me up



×

Copyright

Accessib

Registered
5 Howick Pl

or & Francis Group
orma business

