



The Neurodiagnostic Journal >

Volume 59, 2019 - Issue 3

1,219 1

Views

0

CrossRef citations to date

Altmetric

Articles

Collodion Remover Can Degrade Plastic-Containing Medical Devices Commonly Used in the Intensive Care Unit

Mark P. Fitzgerald , M.D., Ph.D. , Maureen Donnelly, R. EEG T., RPSGT, Lisa Vala, RN, BSN, R. EEG T., Linda Allen-Napoli, MBA, RRT-NPS, RPFT & Nicholas S. Abend, M.D., MSCE

Pages 163-168 | Received 16 May 2019, Accepted 25 Jul 2019, Published online: 14 Aug 2019

Cite this article

<https://doi.org/10.1080/21646821.2019.1649516>

Check for updates

Sample our 
Medicine, Dentistry, Nursing
& Allied Health Journals
>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

Full Article

Figures & data

References

Citations

Metrics

Reprints & Permissions

 Read this article

Share

ABSTRACT

Collodion remover, a solvent blend used to remove collodion glue after long-term video EEG monitoring, was implicated as a potential causative factor in patient safety events at our institution during which damage to plastic components of medical devices was noted in the intensive care unit. We sought to determine experimentally whether collodion remover could lead to degradation of multiple plastic-containing medical devices commonly used in the intensive care unit to determine whether workflow changes were needed during electrode removal. We exposed devices to collodion remover for brief, intermediate, and prolonged durations. We report that collodion

remover is capable of degrading the hard plastic components of multiple medical devices after prolonged exposure; however, intermediate duration exposure was also capable of producing damage to clave connectors used with intravenous and central lines, which could plausibly lead to adverse events given the widespread use of these devices. These data suggest a pathway-based approach to collodion remover use might be beneficial in minimizing the potential impact of this solvent on plastic-containing medical devices.

KEY WORDS:

Collodion remover

ICU EEG monitoring

quality improvement

Disclosure statement

No potential conflict of interest was reported by the authors.

Related research

People also read

Recommended articles

Cited by
1

Information for

Authors

R&D professionals

Editors

Librarians

Societies

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

Help and information

Help and contact

Newsroom

All journals

Books

Keep up to date

Register to receive personalised research and resources
by email

 Sign me up

  

  

Copyright © 2025 Informa UK Limited Privacy policy Cookies Terms & conditions

Accessibility



Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG