The Neurodiagnostic Journal ›

Volume 59, 2019 - Issue 3

1,231 Views | 2 CrossRef citations to date | 0 Altmetric

Articles

Collodion Remover Can Degrade Plastic-Containing Medical Devices Commonly Used in the Intensive Care Unit

Mark P. Fitzgerald, M.D., Ph.D. , Maureen Donnelly, R. EEG T., RPSGT , Lisa Vala, RN, BSN, R. EEG T. , Linda Allen-Napoli, MBA, RRT-NPS, RPFT & Nicholas S. Abend, M.D., MSCE

Pages 163-168 | Received 16 May 2019, Accepted 25 Jul 2019, Published online: 14 Aug 2019

Cite this article https://doi.org/10.1080/21646821.2019.1649516 Check for updates

Sample our Medicine, Dentistry, Nursing & Allied Health Journals

>> Sign in here to start your access to the latest two volumes for 14 days

Full Article Figures & data References Citations Metrics

Reprints & Permissions Read this article Share

ABSTRACT

Collodion remover, a solvent blend used to remove collodion glue after long-term video EEG monitoring, was implicated as a potential causative factor in patient safety events at our institution during which damage to plastic components of medical devices was noted in the intensive care unit. We sought to determine experimentally whether collodion remover could lead to degradation of multiple plastic-containing medical devices commonly used in the intensive care unit to determine whether workflow changes were needed during electrode removal. We exposed devices to collodion remover for brief, intermediate, and prolonged durations. We report that collodion

remover is capable of degrading the hard plastic components of multiple medical devices after prolonged exposure; however, intermediate duration exposure was also capable of producing damage to clave connectors used with intravenous and central lines, which could plausibly lead to adverse events given the widespread use of these devices. These data suggest a pathway-based approach to collodion remover use might be beneficial in minimizing the potential impact of this solvent on plastic-containing medical devices.

KEY WORDS:

Collodion remover | ICU EEG monitoring | quality improvement

Disclosure statement

No potential conflict of interest was reported by the authors.

Related research

People also read | Recommended articles | Cited by 2

Triggered EMG (T-EMG) Values of Pedicle Screws with a Powered Screwdriver vs A Standard Probe in Adolescent Idiopathic Scoliosis Do Not Agree: A Prospective Val... >

Sumeet Garg et al.
The Neurodiagnostic Journal
Published online: 28 Jun 2019

Nonketotic Hyperglycinemia: Two Case Reports and Review >

Rajesh P. Poothrikovil et al.
The Neurodiagnostic Journal
Published online: 21 Aug 2019

Electrophysiological Mapping and Monitoring during an Awake Craniotomy for Low-Grade Glioma: Case Report >

Justin W. Silverstein et al.
The Neurodiagnostic Journal
Published online: 24 Jun 2019

View more

Information for

Authors
R&D professionals
Editors
Librarians
Societies

Open access

Overview
Open journals
Open Select
Dove Medical Press
F1000Research

Opportunities

Reprints and e-prints
Advertising solutions
Accelerated publication
Corporate access solutions

Help and information

Help and contact
Newsroom
All journals
Books

Keep up to date

Register to receive personalised research and resources by email

Sign me up

Copyright © 2026 Informa UK Limited Privacy policy

Cookies Terms & conditions Accessibility

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG