







Q

Home ► All Journals ► Physical Sciences ► Separation Science and Technology ► List of Issues ► Volume 37, Issue 16 ► EFFICIENCY ENHANCEMENTS THROUGH THE USE

Separation Science and Technology >

Volume 37, 2002 - Issue 16

257 10 0

Views CrossRef citations to date Altmetric

Original Articles

EFFICIENCY ENHANCEMENTS THROUGH THE USE OF MAGNETIC FIELD GRADIENT IN ORIENTATION MAGNETIC SEPARATION FOR THE REMOVAL OF POLLUTANTS BY MAGNETOTACTIC BACTERIA

A. S. Bahaj , P. A. B. James & F. D. Moeschler

Pages 3661-3671 | Received 01 Sep 2001, Published online: 19 Aug 2006

66 Cite this article
✓ https://doi.org/10.1081/SS-120014825

Sample our
Physical Sciences
Journals
>> Sign in here to start your access
to the latest two volumes for 14 days

Full Article

Figures & data

References

66 Citations

Metrics

➡ Reprints & Permissions

Read this article

Share

Abstract

Orientation magnetic separation (OMS) represents a simple method that permits motile, field-susceptible magnetotactic bacteria (MTB) to be separated from water. Such an approach can be used to decontaminate polluted water through uptake of contaminants by the bacteria and their subsequent removal by the application of magnetic fields. In OMS, a separation channel through which an MTB culture is flowing is subjected to a magnetic field perpendicular to the flow direction. The bacteria "sense" the magnetic field, orientating themselves parallel to the field lines and then swim to the channel sides where they accumulate. The fluid flow through such a

standard separation channel has been shown to cause dislodgement of accumulated bacteria. To reduce this effect, a new approach has been developed utilizing magnetic gradients to retain the bacteria at the walls of the separator. A study comparing the operation of a standard channel separator with three new designs containing nickel wire matrices has been carried out. The resultant separation efficiencies and the effect on separation of varying both the flow rate and the applied magnetic field are described. The new separators enhance the separation efficiency by up to 300% over the standard separator.

Keywords:

Biomagnetism Orientation magnetic separation Magnetotactic bacteria

Acknowledgments



Information for

Authors

R&D professionals

Editors

Librarians

Societies

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

Help and information

Help and contact

Newsroom

All journals

Books

Keep up to date

Register to receive personalised research and resources by email



Sign me up











Accessibility



Copyright © 2025 Informa UK Limited Privacy policy Cookies Terms & conditions



Registered in England & Wales No. 01072954 5 Howick Place | London | SW1P 1WG