







▶ All Journals ▶ Transactions of the American Fisheries Society ▶ List of Issues ► Two Adjustable Waterfalls for Evaluating

Transactions of the American Fisheries Society > Volume 134, 2005 - Issue 2

239 16

Views CrossRef citations to date Altmetric

Article

Two Adjustable Waterfalls for Evaluating Fish Jumping Performance

Matthew C. Kondratieff & Christopher A. Myrick

Pages 503-508 | Received 13 Oct 2003, Accepted 07 Oct 2004, Published online: 09 Jan 2011

66 Cite this article ⚠ https://doi.org/10.1577/T03-174.1

> Sample our **Business & Industry Journals** to the latest two volumes for 14 days

Full Article

Figures & data

References

66 Citations

Metrics

➡ Reprints & Permissions

Read this article

Abstract

Instream obstacles such as low-head dams and waterfalls are important in fisheries

management hecause they can restrict the movement of fishes

detrime

particula

develop

study th

perform

pool: field 3

Grande

well in e

conditio

less that

List of Partners (vendors)

We Care About Your Privacy

We and our 842 partners store and/or access information on a device, such as unique IDs in cookies to process personal data. You may accept or manage your choices by clicking below, including your right to object where legitimate interest is used, or at any time in the privacy policy page. These choices will be signaled to our partners and will not affect browsing data. Privacy Policy

We and our partners process data to provide:

Use precise geolocation data. Actively scan device characteristics for identification. Store and/or access information on a device. Personalised advertising and content, advertising and content measurement, audience

research and services development.

I Accept sion. We Essential Onlyatory to Show Purposealuating oplied to ult Rio rfall worked

ume-type

same

epth were

waterfall also worked well for tests where the waterfall height exceeded the maximum

depth of the raceway. Of the two waterfalls developed, we recommend using the flumetype for future studies because of its greater flexibility, even though it has a higher construction cost and is slightly more difficult to operate.

Related Research Data

Restricted movement of prairie fishes in fragmented riverscapes risks ecosystem structure being ratcheted downstream


Source: Wiley

Pool-type fishways: two different morpho-ecological cyprinid species facing plunging

and streaming flows.

Source: Public Library of Science (PLoS)

Linking provided by Schole plorer



Information for Open access **Authors** Overview R&D professionals Open journals Editors **Open Select** Librarians **Dove Medical Press** Societies F1000Research Opportunities Help and information Reprints and e-prints Advertising solutions Newsroom Accelerated publication Corporate access solutions Books Keep up to date Register to receive personalised research and resources by email Sign me up Taylor & Francis Group Copyright © 2024 Informa UK Limited Privacy policy Cookies Terms & conditions Accessib X

