





Home ► All Journals ► Medicine ► Medical Teacher ► List of Issues ► Volume 36, Issue 7 ► Foundation doctors working at night: Wha

Medical Teacher >

Volume 36, 2014 - <u>Issue 7</u>

261 1 2 2 Altmetric Research Article

Foundation doctors working at night: What training opportunities exist?

R. Coomber , D. Smith, D. McGuinness, E. Shao, R. Soobrah & A. H. Frankel

Pages 632-638 | Published online: 02 May 2014

Figures & data





Reprints & Permissions

Read this article



Abstract

Full Article

Introduction: Foundation Training is designed for doctors in their first two years of post-graduation. The number of foundation doctors (FD) in the UK working nights has reduced because of a perception that clinical supervision at night is unsatisfactory and that minimal training opportunities exist. We aimed to assess the value of night shifts to FDs and hypothesised that removing FDs from nights may be detrimental to training.

Methods: Using a survey, we assessed the number of FDs working nights in London, FDs views on working nights and their supervision at night. We evaluated whether working at night, compared to daytime working provided opportunities to achieve foundation competencies.

Results: 83% (N = 2157/2593) of FDs completed the survey. Over 90% of FDs who worked nights felt that the experience they gained improved their ability to prioritise, make decisions and plan. FDs who worked nights reported higher scores for achieving competencies in history taking (2.67 vs. 2.51; p = 0.00), examination (2.72 vs. 2.59; p = 0.01) and resuscitation (2.27 vs. 1.96; p = 0.00). The majority (65%) felt adequately supervised.

Conclusions: Our survey has demonstrated that FDs find working nights a valuable experience, providing important training opportunities, which are additional to those encountered during daytime working.

Declaration of interest: All authors have completed the Unified Competing Interest form at www.icmje.org/coi_disclosure.pdf (available on request from the corresponding author) and declare: no support from any organisation for the submitted work; no financial relationships with any organisations that might have an interest in the submitted work in the previous three years; no other relationships or activities that could appear to have influenced the submitted work. No funding has been received for this work from any source.

Ethical approval: We did not seek ethical approval for this study because participants could not be identified from the material presented and no plausible harm was anticipated to participating individuals that would arise from the study. This data was analysed from our anonymised quality management database.

Related research i

People also read

Recommended articles

Cited by

Information for

Authors

R&D professionals

Editors

Librarians

Societies

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

Help and information

Help and contact

Newsroom

All journals

Books

Keep up to date

Register to receive personalised research and resources by email



Sign me up











Accessibility



Copyright © 2025 Informa UK Limited Privacy policy Cookies Terms & conditions



Registered in England & Wales No. 01072954 5 Howick Place | London | SW1P 1WG