

711 | 79 | 0
Views | CrossRef citations to date | Altmetric

Case Report

Efficacy of Tocilizumab in Two Patients with anti-TNF-alpha Refractory Uveitis

Aurore Muselier, Philip Bielefeld , Samuel Bidot, Julien Vinit, Jean-François Besancenot & Alain Bron

Pages 382-383 | Received 30 Mar 2011, Accepted 17 Jul 2011, Published online: 04 Oct 2011

 Cite this article  <https://doi.org/10.3109/09273948.2011.606593>

Sample our
Medicine, Dentistry, Nursing
& Allied Health Journals
>> [Sign in here](#) to start your access
to the latest two volumes for 14 days

 Full Article  Figures & data  References  Citations  Metrics

 Reprints & Permissions

Read this article

 Share

Abstract

Purpose: To report on two patients with refractory uveitis treated with tocilizumab; a new humanized monoclonal antibody against the interleukin-6 receptor (IL-6R).

Design: Retrospective interventional case series.

Methods: Both patients received a monthly infusion of tocilizumab 8 mg/kg; associated with corticosteroids. Outcome measures were visual acuity and central retinal thickness evaluated with optical coherence tomography.

Results: An improvement in visual acuity and a decrease in macular edema were observed in these two patients.

Conclusions: Tocilizumab seems to be a promising treatment in refractory uveitis. A prospective study is needed to evaluate the role of this new agent in the management of refractory uveitis.

Keywords::

Immunosuppressive therapy Refractory uveitis Tocilizumab Uveitis

Declaration of interest: The authors report no conflicts of interest. The authors alone are responsible for the content and writing of the paper.

Related Research Data

[Clinical Review: Anti-TNF \$\alpha\$ Therapies in Uveitis: Perspective on 5 Years of Clinical Experience](#)

Source: Ocular Immunology and Inflammation

[Tocilizumab for rheumatoid and juvenile idiopathic arthritis](#)

Source: The Lancet

[The role of cytokines in the regulation of ocular autoimmune inflammation](#)

Source: Cytokine & Growth Factor Reviews

[Involvement of Th17 cells and the effect of anti-IL-6 therapy in autoimmune uveitis](#)

Source: Rheumatology

[Blockade of interleukin-6 signaling suppresses experimental autoimmune uveoretinitis by the inhibition of inflammatory Th17 responses](#)

Source: Experimental Eye Research

Linking provided by 

Related research

People also read

Recommended articles

Cited by
79

Carlos Cifuentes-González et al.
Ocular Immunology and Inflammation
Published online: 15 Oct 2024

Information for

Authors
R&D professionals
Editors
Librarians
Societies

Opportunities

Reprints and e-prints
Advertising solutions
Accelerated publication
Corporate access solutions

Open access

Overview
Open journals
Open Select
Dove Medical Press
F1000Research

Help and information

Help and contact
Newsroom
All journals
Books

Keep up to date

Register to receive personalised research and resources by email

 Sign me up



Copyright © 2026 Informa UK Limited [Privacy policy](#)

[Cookies](#) [Terms & conditions](#) [Accessibility](#)

Registered in England & Wales No. 01072954
5 Howick Place | London | SW1P 1WG

 **Taylor & Francis**
by informa