







a

Home ▶ All Journals ▶ Medicine ▶ Prehospital Emergency Care ▶ List of Issues ▶ Volume 17, Issue 3 ▶ An Assessment of Depression, Anxiety, an

Prehospital Emergency Care >

Volume 17, 2013 - <u>Issue 3</u>

4,120 85
Views CrossRef citations to date Altmetric
Original Articles

An Assessment of Depression, Anxiety, and Stress Among Nationally Certified EMS Professionals

Melissa A. Bentley, MS, NREMT-P , J. Mac Crawford, PhD, RN , J. R. Wilkins, III, BCE, DrPH , Antonio R. Fernandez, PhD, NREMT-P & Jonathan R. Studnek, PhD, NREMT-P

Pages 330-338 | Received 08 Jun 2012, Accepted 06 Dec 2013, Published online: 15 Feb 2013

Figures & data



Reprints & Permissions

Read this article



Abstract

Full Article

Objectives. The primary objective of this study was to estimate the prevalence and severity of depression, anxiety, and stress among a cohort of nationally certified emergency medical services (EMS) professionals. The secondary objective was to determine whether there were differences between individuals who were experiencing depression, anxiety, or stress and those who were not. Methods. This was a questionnaire-based, case-control analysis of nationally certified emergency medical technician (EMT)-Basics and paramedics who applied for national recertification in 2009. The three outcome variables of interest included measures of depression, anxiety, and stress, and were assessed using the Depression Anxiety Stress Scale-21

(DASS-21). Descriptive statistics and investigator-controlled backwards-selection logistic regression modeling were utilized to quantify the prevalence of depression, anxiety, and stress and to predict the association of demographic and work-life characteristics with each outcome. Results. A total of 64,032 individuals were eligible to renew their national certification and 34,340 (53.6%) individuals returned a questionnaire. The DASS-21 classified 1,589 (6.8%, 95% confidence interval [CI] = 6.4%-7.1%) EMS professionals as depressed, 1,406 (6.0%, 95% CI = 5.7%-6.3%) as anxious, and 1,382 (5.9%, 95% CI = 5.6%-6.2%) as stressed. Multivariable logistic regression estimates showed that paramedics (odds ratio [OR] = 1.31, 95% CI = 1.22-1.39), those working in county or municipal services (OR = 1.36, 95% CI = 1.16-1.60) or private services (OR = 1.32, 95% CI = 1.14-1.52), and those with \geq 16 years of EMS experience (OR = 1.28, 95% CI = 1.01-1.62) had an increased odds of depression. A stepwise increase was found when estimating the effects of self-reported general health on the odds of anxiety (very good, OR = 1.84, 95% CI = 1.53-2.22; good, OR = 1.84, 95% CI = 1.843.88, 95% CI = 3.32-4.67; fair/poor, OR = 10.81, 95% CI = 8.14-14.34). Likewise, paramedics (OR = 1.32, 95% CI = 1.23-1.42), those working in a private EMS system (OR = 1.35, 95% CI = 1.16-1.56), and those with ≥ 16 years of EMS experience (OR = 1.35, 95% CI = 1.16-1.56)1.67, 95% CI = 1.28-2.18) had an increased odds of stress. Conclusions. This study was able to estimate the prevalence of depression, anxiety, and stress among a large cohort of nationally certified EMS professionals and identified statistically significant demographic and work-life characteristics that predicted depression, anxiety, and stress. Future research should attempt to follow EMS professionals prospectively to determine specific characteristics associated with occupational traumatic exposure and the development of depression, anxiety, and stress.

Key words: :

emergency medical services out-of-hospital depression anxiety stress

Related research 1



Information for

Authors

R&D professionals

Editors

Librarians

Societies

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

Help and information

Help and contact

Newsroom

All journals

Books

Keep up to date

Register to receive personalised research and resources by email



Sign me up











Accessibility



Copyright © 2025 Informa UK Limited Privacy policy Cookies Terms & conditions

☑Taylor and Francis Group

Registered in England & Wales No. 01072954 5 Howick Place | London | SW1P 1WG