

International Journal of Audiology >

Volume 42, 2003 - [Issue sup1](#)

293 | 52 | 0  
Views | CrossRef citations to date | Altmetric

Original Article

# Working-memory capacity and phonological processing in deafened adults and individuals with a severe hearing impairment

Björn Lyxell, Ulf Andersson, Erik Borg & Inga-Stina Ohlsson

Pages 86-89 | Published online: 07 Jul 2009

 Cite this article  <https://doi.org/10.3109/14992020309074628>

Sample our  
Medicine, Dentistry, Nursing  
& Allied Health Journals  
>> [Sign in here](#) to start your access  
to the latest two volumes for 14 days

 References

 Citations

 Metrics

 Reprints & Permissions

[Read this article](#)

 Share

## Abstract

The purpose of the present article is to review a number of studies conducted in our own laboratory with respect to working memory capacity and phonological processing in deafened adults and individuals with a severe hearing impairment, and how these two cognitive components relate to speech processing. The results demonstrate that one specific component in the phonological processing system (i.e., the phonological representation system) is deteriorating, whereas other parts are preserved intact. The characteristic of the individual's phonological representation is further correlated with success in speech reading and speech understanding with some cochlear implant systems. Working memory capacity is a capacity that remains intact despite a long

duration of deafness/severe hearing loss. The size of the working memory is related to skill in speech reading and level of speech understanding with cochlear implants and perceived effort in a noisy environment.

Key Words:

Phonological processing

Working memory

Cochlear implants

Speech perception

Speech understanding

### Related Research Data

[Is working memory still working?](#)

Source: American Psychologist

[Internal Speech Functioning and Speechreading in Deafened and Normal Hearing Adults](#)

Source: Scandinavian Audiology

[Functional parallelism in spoken word-recognition](#)

Source: Cognition

[Fractionating the Articulatory Loop: Dissociations and Associations in Phonological Recoding in Aphasia](#)

Source: Brain and Language

[Phonological Deterioration in Adults with an Acquired Severe Hearing Impairment](#)

Source: Scandinavian Audiology

[Deterioration of the phonological processing skills in adults with an acquired severe hearing loss](#)

Source: The European Journal of Cognitive Psychology

### Related research

People also read

Recommended articles

Cited by  
52

[Benefits from hearing aids in relation to the interaction between the user and the environment](#) >

## Information for

[Authors](#)  
[R&D professionals](#)  
[Editors](#)  
[Librarians](#)  
[Societies](#)

## Opportunities

[Reprints and e-prints](#)  
[Advertising solutions](#)  
[Accelerated publication](#)  
[Corporate access solutions](#)

## Keep up to date

Register to receive personalised research and resources by email



Sign me up



## Open access

[Overview](#)  
[Open journals](#)  
[Open Select](#)  
[Dove Medical Press](#)  
[F1000Research](#)

## Help and information

[Help and contact](#)  
[Newsroom](#)  
[All journals](#)  
[Books](#)

Copyright © 2026 Informa UK Limited [Privacy policy](#)

[Cookies](#) [Terms & conditions](#) [Accessibility](#)

Registered in England & Wales No. 01072954  
5 Howick Place | London | SW1P 1WG



**Taylor & Francis**  
by **informa**•••