



Open access

1,067 Views | 10 CrossRef citations to date | 2 Altmetric

[Listen](#)

Study Design Articles

Bringing evidence to policy to achieve health-related MDGs for all: justification and design of the EPI-4 project in China, India, Indonesia, and Vietnam

Sarah Thomsen , Nawi Ng, Xu Biao, Göran Bondjers, Hari Kusnanto, Nguyen Thanh Liem, ... [show all](#)

Article: 19650 | Received 31 Aug 2012, Accepted 10 Feb 2013, Published online: 13 Mar 2013

Cite this article <https://doi.org/10.3402/gha.v6i0.19650>

Full Article

Reprints

We Care About Your Privacy

We and our 902 partners store and access personal data, like browsing data or unique identifiers, on your device. Selecting I Accept enables tracking technologies to support the purposes shown under we and our partners process data to provide. Selecting Reject All or withdrawing your consent will disable them. If trackers are disabled, some content and ads you see may not be as relevant to you. You can resurface this menu to change your choices or withdraw consent at any time by clicking the Show Purposes link on the bottom of the webpage. Your choices will have effect within our Website. For more details, refer to our Privacy Policy. [Here](#)

We and our partners process data to provide:

Use precise geolocation data. Actively scan device

I Accept

Reject All

Show Purpose

social and structural determinants, in China, India, Indonesia and Vietnam.

Results : To understand country-level MDG achievements it is useful to analyze their social and structural determinants. This analysis is not sufficient, however, to understand within-country inequities. Specialized analyses are required for this purpose, as is discussion and debate of the results with policymakers, which is the aim of the EPI-4 project.

Conclusion : Reducing health inequities requires sophisticated analyses to identify disadvantaged populations within and between countries, and to determine evidence-based solutions that will make a difference. The EPI-4 project hopes to contribute to this goal.

- equity
- Millennium Development Goals
- social determinants of health
- evidence to policy
- network
- Asia

The purpose of this article is to provide the relevance and design of the ‘Evidence for Policy and Implementation project (EPI-4)’, which aims to reduce inequities in achievement of the health-related Millennium Development Goals (MDGs) in China, India, Indonesia, and Vietnam. The project will generate evidence to inform policy with policymakers.

Background

According to the Millennium Development Goals (MDGs), to achieve, there is a need to reduce the global and internal inequalities. The global and internal inequalities have increased from 55 to 65% in the last decade. Tuberculosis has decreased from 55 to 65% in the last decade. While many countries have achieved the MDGs, many countries have not.

the least likely to have benefited from achievements. For example: poor, rural children are less likely to have received measles vaccination than their richer, urban counterparts [2](#).

Some regions are particularly affected by inequity in the achievement of MDGs. In Southern Asia, the wealthiest women are five times more likely than the poorest to have been attended to by a trained health care worker when giving birth [2](#). These health inequities have been most marked in the countries where economic growth has been particularly inequitable. For example, in India, where the annual per capita growth rate has hovered around 8% for the last decade, use of antenatal care services increased by 12% from 1996 to 2008, but only 0.1% among the poor. At the same time, 37% of the population is living in poverty (in some states, over 50% of the population) [3](#). The conclusion can only be that economic growth may be necessary, but not sufficient for improving the health of all. Governments must also be prepared to invest the benefits of economic growth in services that will actively promote reductions of health inequity, such as public health care and public education [4](#).

Unfortunately, the use of MDG targets has led to a focus on improving the proportion of people benefiting in a particular aspect of welfare – increased income, education, health, sanitation, housing, etc. – rather than on equitable distribution of health. In the implementation of MDGs, across these different areas, such targeting has often led to


efforts b otherwise
referred 4, 5, and 6,
for insta h only a
minority all
interven elopment
approac n approaches
to health down'
effect those lifted
'abov MDG targets
are appr inequity [9](#).



Social
In 2009 which urged

commitment ... to develop and implement goals and strategies to improve public health with a focus on health inequities, and to take into account health equity in all national policies that address social determinants of health [10](#).’ The Commission on the Social Determinants of Health (CSDH) has developed a framework for illustrating the mechanisms by which structural and social factors affect equity in health. This framework recognizes that there are multiple causes for health outcomes besides individual behavior and health service delivery [11](#). The model specifies three types of determinants of health: 1) the socioeconomic and political context, 2) structural determinants and socioeconomic position, and 3) intermediary determinants such as individual behavior and the health system (Fig. 1).

Fig. 1. Social determinants of health framework (WHO, 2010). [Permission to reprint granted from WHO].



Display full image



The majority of the world's poor (approximately 1.3 billion) now live in middle-income countries (MICs), such as China, Brazil, India, and Indonesia [12](#). This is a drastic change from 1990 when 93% of the world's poor were estimated to live in low-income countries (LICs). MICs today experience considerable inequity in the distribution of health services, and other specific health challenges, such as those caused by effects of rapid industrial and urban growth.

Table 1. Percentage change from 1990 to 2010 for MDGs 4 and 5 in four Asian countries



Download CSV Display Table

The status of tuberculosis is still very tenuous in three of the four countries. While China has made significant advances on a national level (TB prevalence 108/100,000), India, Indonesia, and Vietnam still have TB prevalence rates of 256, 289, and 334/100,000, respectively. Although TB treatment success rates area around 90% in all countries (95% in China), the TB detection rate under DOTS is still worryingly low in India (59%), Indonesia (66%), and Vietnam (54%).

Table 2 also indicates another problem with country reporting, which is that there is little national data for some of the MDG indicators on HIV and malaria. In some cases, the country reports, such as the UNAIDS country progress reports [14](#), simply state that data on, for example, ‘sexual intercourse with more than one partner in the past 12 months’ are “irrelevant”.

Table 2. Percentage change from 1990 to 2010 for MDG 6 in four A



Downlo

Moving from
‘interme
has dedi
less
expend
In India
pocket.
below 1
available
per 1,00

tem, China
(6%), but
Asia (38.3%).
out-of-
alth care, is
formation
/midwives
onesia (0.29



vs. 2.04) and India (0.65 vs. 1), the ratio is more geared toward the mid-level providers than physicians.

Table 3. Intermediary determinants of health in four Asian countries



[Download CSV](#) [Display Table](#)

Individual behavioral and biological factors, psychosocial factors and material circumstances also have an effect on equity in health, both directly and through use of health services. Smoking levels amongst men in Indonesia (61.3%), China (51.2%), and Vietnam (48.2%) are extremely high. Exclusive breastfeeding in the first 6 months of a child's life is relatively high in India (46.4%), compared to China (27.6%), Vietnam (16.9%), or Indonesia (15.3%). Use of 'improved drinking sources' is fairly high on a national level: 90% in China, India, and Vietnam, and 82% in Indonesia. However, 'improved sanitation' is poor in all countries, with large variations: 76% in Vietnam, 64% in China, 54% in Indonesia, and a very low 34% in India. The prevalence of wasting in children under five – an indicator of poor access to food – is very high in India (20%) and Indonesia (14.8%). In Vietnam almost one in ten children exhibit wasting; in China this figure is 2.2%.

The CSD...er 20–30
years, p...h inequity
[11](#). The...t education,
ethnicity...health
outcome...ources that
an indivi...determined
by the...r of socio-
econo...ons in the
four cou...3%) and
Vietnam...other hand,
Vietnam...na and India,
urban sl...



Display Table

A large white rectangular box with a dark blue circular icon on the left side. The icon contains a white silhouette of a person's head and shoulders, with several green dots scattered around it. A small 'x' icon is visible in the top right corner of the white box.



Indonesia, and 0.884 in Vietnam, with 1 being perfect parity. This means, for example, that for every woman with a secondary school education in India there are two men with at least that level of education.

The reproductive health of women is partially determined by patterns of early marriage. The longer they wait to marry, the longer they tend to wait to begin childbearing, and the longer they can stay in school, thus increasing educational levels amongst women. The teenage pregnancy rates (aged 15–19) were 16% in India in 2006 and 9% in Indonesia in 2007 (data not available in China and Vietnam). Thus, gender norms that are reflected in low levels of women's achievement in secondary school, low participation in the labor market, high levels of teenage pregnancy, and the high levels of poverty in India and Indonesia are likely strong social determinants of the poor health results reported above.

In the CSDH framework, the socioeconomic and political structure of a country is purported to create the conditions that make possible differences based on socioeconomic position. For example, policies around education and social protection can create an enabling or disabling environment for different segments of the population to attend school, or for women to work. Thus, the high ratio of female to male participation in the labor market in Vietnam discussed above (89%) is likely related to the fact that the state subsidizes day care for children below school age, which is not the case in India or China. In India, where the ratio of female to male participation is 79%, which is lower than in Vietnam, the state does not subsidize day care for children below school age. In China, where the ratio of female to male participation is 89%, the state also subsidizes day care for children below school age, but the ratio of female to male participation is lower than in Vietnam. In all three countries, the state also subsidizes day care for children below school age, but the ratio of female to male participation is lower than in Vietnam. In all three countries, the state also subsidizes day care for children below school age, but the ratio of female to male participation is lower than in Vietnam.



Table
socio

Download



The final statistic that we present for the four countries is the annual growth rate of the gross domestic product (GDP). All have very high growth rates: 10.4% for China, 9.6% for India, 6.8% for Vietnam, and 6.2% for Indonesia in 2010. This indicates that there may be financial resources available to create the necessary social and structural conditions to improve the health and welfare of the populations of these Asian countries.

A large white rectangular area, likely a placeholder for a diagram or image, with a small circular logo in the bottom left corner. The logo features a stylized white figure with green dots on a dark blue background.



The World Health Organization's Task Force on Research Priorities has called for more use of research in identifying and evaluating policy options to reduce health inequities [21](#). EPI-4 (Evidence for Policy and Implementation) was designed to increase capacity to make evidence-informed decisions on policies and implementation for health for disadvantaged groups in relation to MDGs 4, 5, and 6 in China, India, Indonesia, and Vietnam. The project will identify and use networks in each country to discuss evidence on inequity in achievement of the health-related MDGs and to plan for evidence-based interventions to reduce inequities. The evidence will be gathered and analyzed by researchers based at four Swedish universities: Karolinska Institutet, Gothenburg University, Umeå University, and Uppsala University, working in conjunction with longstanding partners in the four countries – Fudan University and Peking University, China; University of Gadjah Mada, Indonesia; the Public Health Institute of India; and the National Institute of Health, Vietnam. These countries have most disadvantaged groups in all countries. The project will look at the causes of large, existing inequities, and these analyses will focus on MDGs 4, 5, and 6 to fill gaps in the most important sources of data; and 3) to determine whether or not equity interventions will have benefits for 15 persons and their relatives (such as non-communicable diseases) in

in research briefs. The project will end with a regional conference with high-level policymakers convened to discuss realistic approaches to reducing inequity in maternal and child health and infectious disease control and treatment.

Conflict of interest and funding

The authors have not received funding from industry for this paper and report no conflict of interests.

Acknowledgements

The EPI-4 project is funded by the Swedish International Development Cooperation Agency (Sida), project number AKT-2010-048. The purpose of EPI-4 is to build capacity in using evidence to inform policies to improve equity in the achievement of MDGs 4, 5, and 6 in China, India, Indonesia, and Vietnam.

Notes

¹Differences in the prevalence of under-five mortality for these differences

²As a consequence of the different definitions of under-five mortality according to this definition



Related

The impact of the Millennium Development Goals on the health of children in low-income countries: a review of the evidence for

goal

Source

Source: The Lancet

Assessing country-level efforts to link research to action

Source: Bulletin of the World Health Organization

Equity and child-survival strategies

Source: Bulletin of the World Health Organization

A framework for mandatory impact evaluation to ensure well informed public policy decisions

Source: The Lancet

The Millennium Development Goals Report 2010

Source: Unknown Repository

Health policy-makers' perceptions of their use of evidence: a systematic review

Source: Journal of Health Services Research & Policy

Evidence-Based Practice in a Global Context: The Case of Neonatal Mortality

Source: Worldviews on Evidence-Based Nursing

CCDC 632770: Experimental Crystal Structure Determination

Source: The Cambridge Structural Database

Promoting equity to achieve maternal and child health

Source: Reproductive Health Matters

A Poverty of Rights: Six Ways to Fix the MDGs

Source: IDS Bulletin

Priorities for the 2020s Health

Rese

Source

Build

Source

Work atic

Review

So



Linki

100

100

eter

ALLIO

Article contents

Related research

[Google Scholar](#)

2. UN. (2010). The Millennium Development Goals Report 2010. New York: United Nations.

[Google Scholar](#)

3. Tendulkar S, Radhakrishna R, Sengupta S. Report of the expert group to review the methodology for estimation of poverty. Government of India, Planning Commission. New Delhi, 2009

[Google Scholar](#)

4. Dreze J, Sen A Putting growth in its place. It has to be but a means to development, not an end in itself. Available from: <http://OutlookIndia.com> [cited 14 November 2011]..

[Google Scholar](#)

5. Langford M. A poverty of rights: six ways to fix the MDGs. IDS Bulletin. 2010; 41: 83-91.10.3402/gha.v6i0.19650.

[Web of Science @](#) [Google Scholar](#)


6. Mulho and-survival strate.19650.

7. Thom promoting ed; 19: 176-82.1

8. Gwatke e. Lancet. 2004;



9. Waage J, Banerji R, Campbell O, Chirwa E, Collender G, Dieltiens V, et al.. The Millennium Development Goals: a cross-sectoral analysis and principles for goal setting after 2015 Lancet and London International Development Centre Commission. Lancet. 2010; 376: 991–1023.10.3402/gha.v6i0.19650.



[PubMed](#)

[Web of Science ®](#)

[Google Scholar](#)

10. World Health Assembly, resolution 64.14. Available from: http://apps.who.int/gb/ebwha/pdf_files/WHA62-REC1/WHA62_REC1-en-P2.pdf[cited 27 February 2013]..

[Google Scholar](#)

11. Solar O, Irwin A. A conceptual framework for action on the social determinants of health. Social determinants of health Discussion Paper 2 (Policy and Practice). World Health Organization. Geneva, 2010

[Google Scholar](#)

12. Sumner A. Global poverty and the new bottom billion: what if three-quarters of the world's poor live in middle-income countries? IDS Working Paper 349. Volume November. Institute of Development Studies. Brighton, 2010

[Google](#)



13. World Health Organization. The world health report 2013. Available from: <http://apps.who.int/whr/2013/>[cited 27 February 2013]..


[Google](#)

14. Commission on the Social Determinants of Health. The solid facts. Geneva: World Health Organization; 2010. Available from: <http://www.who.int/socialdeterminants/factsheets/fs2010/en/>

[Google](#)


15. World Health Organization. The world health report 2013. Geneva: World Health Organization; 2013. Available from: <http://apps.who.int/whr/2013/>

6. Wallin L. Evidence-based practice in a global context: the case of neonatal mortality. *Worldviews Evid Based Nurs.* 2008; 5: 167–9.10.3402/gha.v6i0.19650.



[Google Scholar](#)


7. Oxman AD, Bjørndal A, Becerra-Posada F, Gibson M, Block MAG, Haines A, et al.. A framework for mandatory impact evaluation to ensure well informed public policy decisions. *Lancet.* 2010; 375: 427–31.10.3402/gha.v6i0.19650.



[PubMed](#)

[Google Scholar](#)


8. Innvaer S VG, Trommald M, Oxman A. Health policy-makers' perceptions of their use of evidence: a systematic review. *J Health Serv Res Pol.* 2002; 7: 239.10.3402/gha.v6i0.19650.



[PubMed](#)

[Google Scholar](#)

9. Lavis J, Lomas J, Hamid M, Sewankambo NK. Assessing country-level efforts to link research to action. *Bull World Health Organ.* 2006; 84: 620–28.10.3402/gha.v6i0.19650.




[PubMed](#)

[Web of Science ®](#)

[Google Scholar](#)

10. Lavis J, Lomas J, Hamid M, Sewankambo NK. Assessing country-level efforts to link research to action. *Bull World Health Organ.* 2006; 84: 620–28.10.3402/gha.v6i0.19650.




[PubMed](#)

[Web of Science ®](#)

[Google Scholar](#)

11. Östlin K, Lomas J, Hamid M, Sewankambo NK. Assessing country-level efforts to link research to action. *Bull World Health Organ.* 2006; 84: 620–28.10.3402/gha.v6i0.19650.



[PubMed](#)

[Web of Science ®](#)

[Google Scholar](#)

Download



Information for

[Authors](#)[R&D professionals](#)[Editors](#)[Librarians](#)[Societies](#)

Opportunities

[Reprints and e-prints](#)[Advertising solutions](#)[Accelerated publication](#)[Corporate access solutions](#)

Open access

[Overview](#)[Open journals](#)[Open Select](#)[Dove Medical Press](#)[F1000Research](#)

Help and information

[Help and contact](#)[Newsroom](#)[All journals](#)[Books](#)

Keep up to date

Register to receive personalised research and resources by email

[Sign up](#)

Copyright © 2024 Elsevier B.V. All rights reserved. For more information on our products and services, please visit our website. Elsevier is a member of the Elsevier Group, a leading global publisher and provider of research and business intelligence solutions.

[Accessibility](#)

Register
5 How

