

474 19 Views CrossRef citations to date 0 Altmetric

Original Articles

# Risk assessment and prevention of surface subsidence in deep multiple coal seam mining under dense above-ground buildings: Case study

Jixiong Zhang, Qiang Sun, Andy Fourie, Feng Ju & Xiangjian Dong  
Pages 1579-1593 | Received 14 Mar 2018, Accepted 28 Apr 2018, Published online: 24 May 2018

Cite this article <https://doi.org/10.1080/10807039.2018.1471579>

Check for updates

Sample our Food Science & Technology Journals >> Sign in here to start your access to the latest two volumes for 14 days

**We Care About Your Privacy**

We and our 880 partners store and access personal data, like browsing data or unique identifiers, on your device. Selecting I Accept enables tracking technologies to support the purposes shown under we and our partners process data to provide. Selecting Reject All or withdrawing your consent will disable them. If trackers are disabled, some content and ads you see may not be as relevant to you. You can resurface this menu to change your choices or withdraw consent at any time by clicking the Show Purposes link on the bottom of the webpage .Your choices will have effect within our Website. For more details, refer to our Privacy Policy. [Here](#)

We and our partners process data to provide:

Use precise geolocation data. Actively scan device

**I Accept** **Reject All** **Show Purpose**



Full Ar  
Repri  
ABST  
Recentl  
control  
with  
the se  
subsiden  
compris  
propose  
standar  
studying  
backfill

tion in the  
however,  
regard to  
face  
m  
ining is  
tection  
med at  
strate that  
um surface

subsidence, horizontal movement, inclination, and horizontal deformation, whereas the key index to control is the compression ratio of backfill materials. The results of surface subsidence prediction and measurements in the Tangshan Coal Mine show that the solid waste backfill mining technique can effectively control the surface subsidence, deformation, and safety of buildings. This study is highly instrumental in sustained deep mining and environmental protection.

KEYWORDS: risk assessment surface subsidence backfill mining dense buildings environmental protection

## Conflict of interest

The authors declare no conflict of interest.

## Additional information

### Funding

This research was funded by the National Natural Science Foundation of China [Grant Number 81573051] for the Central University of South China. The authors declare that they have no financial support.

### Related



Information for

- Authors
- R&D professionals
- Editors
- Librarians
- Societies

Opportunities

- Reprints and e-prints
- Advertising solutions
- Accelerated publication
- Corporate access solutions

Open access

- Overview
- Open journals
- Open Select
- Dove Medical Press
- F1000Research

Help and information

- Help and contact
- Newsroom
- All journals
- Books

Keep up to date

Register to receive personalised research and resources by email

 Sign me up



Copyright

Accessib

Registered  
5 Howick Pl

or & Francis Group  
orma business

