







Q

Home ► All Journals ► Bioscience ► Pathology ► List of Issues ► Volume 42, Issue 7 ► A variant in microRNA-196a2 is associate

Pathology >

Volume 42, 2010 - Issue 7


55 3
Views CrossRef citations to date Altmetric
Molecular Pathology

A variant in microRNA-196a2 is associated with susceptibility to hepatocellular carcinoma in Chinese patients with cirrhosis

Xiao-Dong Li Z, Zhi-Gao Li, Xian-Xu Song & Chun-Fu Liu Z

Pages 669-673 | Received 11 May 2010, Accepted 13 Jul 2010, Published online: 17 Nov 2010

66 Cite this article



Abstract

Aims: Cirrhosis is an important risk factor for hepatocellular carcinoma (HCC) in China, while little is known of the genetic susceptibility to hepatocarcinogenesis. Traditional approaches to identification of novel genetic predisposition genes have focused on protein encoding genes. There is evidence to suggest that microRNAs (miRNA) may play an important role in tumorigenesis. Recent studies have implicated that the rs11614913 SNP in miR-196a2 may be associated with susceptibility to lung cancer, congenital heart disease, breast cancer, as well as reduced survival in non-small cell lung cancer. This study aims to assess whether this functional polymorphism can influence susceptibility to and the progression of cirrhosis-related HCC.

Methods: 532 patients with hepatic cirrhosis (310 patients with HCC and 222 patients without HCC) were enrolled. DNA was extracted from blood specimens, and miR-196a2 polymorphism was genotyped by polymerase chain reaction-restriction fragment length polymorphism (PCR-RFLP). In addition, tumour tissues of liver (n = 59) were obtained from the studied HCC patients for measurement of miR-196a expression levels.

Results: The frequency of the CC genotype among HCC patients was higher than that in the control group, implying that the cirrhotic patients with the CC genotype or C allele containing genotypes (CT and CC) may have a higher risk of HCC. However, in a subsequent analysis of the association between this polymorphism and clinicopathological characteristics, there was an association between rs11614913 genotype and tumour size (p = 0.046), but not with tumour number, grade, stage, invasiveness or Child-Pugh grade. In a genotype-phenotype correlation analysis using 59 tumour tissues of liver, rs11614913 CC or carrying at least one C allele was associated with significantly increased mature miR-196a expression (p = 0.006 or = 0.002).

Conclusions: Our results suggest, for the first time, that miR-196a2 polymorphism may contribute to cirrhosis-related HCC susceptibility in Chinese patients through influencing mature miR-196a expression.

Key words:

Cirrhosis hepatocellular carcinoma MiR-196a2

single nucleotide polymorphism

Related Research Data

Oncomirs — microRNAs with a role in cancer

Source: Nature Reviews Cancer

MicroRNA signatures in human cancers

Source: Nature Reviews Cancer

A functional polymorphism in the miR-146a gene is associated with the risk for

hepatocellular carcinoma

Source: Carcinogenesis

Transactivation of miR-34a by p53 Broadly Influences Gene Expression and Promotes Apoptosis

Source: Molecular Cell

Frequent deletions and down-regulation of micro- RNA genes miR15 and miR16 at

13q14 in chronic lymphocytic leukemia

Source: Proceedings of the National Academy of Sciences

Related research 1

Recommended articles

Cited by 3

Associations Between Single Nucleotide Polymorphisms of Hypoxia-Related Genes and Capsule Formation in Hepatocellular Carcinoma

Shanshan Chen et al.

Journal of Hepatocellular Carcinoma

Published online: 10 Oct 2023

Genetic Variants of UGP2 and FBP2 in the Glycolysis Pathway Independently Predict Survival of Patients with HBV-Related Hepatocellular Carcinoma >

Rongbin Gong et al.

Journal of Hepatocellular Carcinoma

Published online: 6 Jun 2025

TBX5 Variants are Associated with Susceptibility to and the Incidence of Liver Cirrhosis and Hepatocellular Carcinoma in the Chinese Population: A Multicenter and Follow-Up Study >

JinJian Yao et al.

Infection and Drug Resistance Published online: 2 May 2023

View more

Information for

Authors

R&D professionals

Editors

Librarians

Societies

Opportunities

Reprints and e-prints

Advertising solutions

Accelerated publication

Corporate access solutions

Open access

Overview

Open journals

Open Select

Dove Medical Press

F1000Research

Help and information

Help and contact

Newsroom

All journals

Books

Keep up to date

Register to receive personalised research and resources by email



Sign me up











Accessibility



Copyright © 2025 Informa UK Limited Privacy policy Cookies Terms & conditions



Registered in England & Wales No. 01072954 5 Howick Place | London | SW1P 1WG