

Open access

1,008 10

Views CrossRef citations to date Altmetric

2

Listen

Study Design Articles

# Bringing evidence to policy to achieve health-related MDGs for all: justification and design of the EPI-4 project in China, India, Indonesia, and Vietnam

Sarah Thomsen , Nawi Ng, Xu Biao, Göran Bondjers, Hari Kusnanto, Nguyen Thanh Liem, ... show all

Article: 19650 | Received 31 Aug 2012, Accepted 10 Feb 2013, Published online: 13 Mar 2013

Cite this article <https://doi.org/10.3402/gha.v6i0.19650>

## We Care About Your Privacy

We and our 855 partners store and access personal data, like browsing data or unique identifiers, on your device. Selecting "I Accept" enables tracking technologies to support the purposes shown under "we and our partners process data to provide," whereas selecting "Reject All" or withdrawing your consent will disable them. If trackers are disabled, some content and ads you see may not be as relevant to you. You can resurface this menu to change your choices or withdraw consent at any time by clicking the ["privacy preferences"] link on the bottom of the webpage [or the floating icon on the bottom-left of the webpage, if applicable]. Your choices will have effect within our Website. For more details, refer to our Privacy Policy. [Here](#)

We and our partners process data to provide:

.....

I Accept

Reject All

Show Purpose

social and structural determinants, in China, India, Indonesia and Vietnam.

Results : To understand country-level MDG achievements it is useful to analyze their social and structural determinants. This analysis is not sufficient, however, to understand within-country inequities. Specialized analyses are required for this purpose, as is discussion and debate of the results with policymakers, which is the aim of the EPI-4 project.

Conclusion : Reducing health inequities requires sophisticated analyses to identify disadvantaged populations within and between countries, and to determine evidence-based solutions that will make a difference. The EPI-4 project hopes to contribute to this goal.

[equity](#) [Millennium Development Goals](#) [social determinants of health](#) [evidence to policy](#) [network](#) [Asia](#)

The purpose of this article is to provide the relevance and design of the 'Evidence for Policy and Implementation project (EPI-4)', which aims to reduce inequities in achievement of the health-related Millennium Development Goals (MDGs) in China, India, Indonesia, and Vietnam through the promotion of informing research evidence with poli

## Backg

Accordin  
there ha  
count  
mort  
55 to 65  
decrease  
achieve  
overall p  
countrie  
the least

to achieve,  
the global and  
ernal  
eased from  
erculosis has  
e  
while  
many  
unities are  
ral children



are less likely to have received measles vaccination than their richer, urban counterparts [2](#).

Some regions are particularly affected by inequity in the achievement of MDGs. In Southern Asia, the wealthiest women are five times more likely than the poorest to have been attended to by a trained health care worker when giving birth [2](#). These health inequities have been most marked in the countries where economic growth has been particularly inequitable. For example, in India, where the annual per capita growth rate has hovered around 8% for the last decade, use of antenatal care services increased by 12% from 1996 to 2008, but only 0.1% among the poor. At the same time, 37% of the population is living in poverty (in some states, over 50% of the population) [3](#). The conclusion can only be that economic growth may be necessary, but not sufficient for improving the health of all. Governments must also be prepared to invest the benefits of economic growth in services that will actively promote reductions of health inequity, such as public health care and public education [4](#).

Unfortunately, the use of MDG targets has led to a focus on improving the proportion of people benefiting in a particular aspect of welfare – increased income, education, health, sanitation, housing, etc. – rather than on equitable distribution of health. In the implementation of MDGs, across these different areas, such targeting has often led to efforts being placed on improving the welfare of those most easily reached, otherwise

referred to as the 'easy pickings' of development. This has led to a focus on 4, 5, and 6, for instance, with only a minority of the population benefiting. All development approaches to health care have 'fallen down' – those lifted above the MDG targets are still in a state of inequity [9](#).

## Social

In 2009,

Member



which urged

ugh political



with a focus on health inequities, and to take into account health equity in all national policies that address social determinants of health [10](#).' The Commission on the Social Determinants of Health (CSDH) has developed a framework for illustrating the mechanisms by which structural and social factors affect equity in health. This framework recognizes that there are multiple causes for health outcomes besides individual behavior and health service delivery [11](#). The model specifies three types of determinants of health: 1) the socioeconomic and political context, 2) structural determinants and socioeconomic position, and 3) intermediary determinants such as individual behavior and the health system (Fig. 1).

Fig. 1. Social determinants of health framework (WHO, 2010). [Permission to reprint granted from WHO].



Display full

The soci  
corruptio  
norms a  
adolesce  
individ  
variable  
gender,  
These st  
by deter  
factors,  
propose

is  
cultural  
d  
that defines  
y proxy  
dices),  
of health.  
mediated  
ological  
well-being is  
and political

The majority of the world's poor (approximately 1.3 billion) now live in middle-income countries (MICs), such as China, Brazil, India, and Indonesia [12](#). This is a drastic change from 1990 when 93% of the world's poor were estimated to live in low-income countries (LICs). MICs today experience considerable inequity in the distribution of health services, and other specific health challenges, such as those caused by effects of rapid industrial and urban growth.

Below we compare national-level MDG targets and results for four emerging economies: China, India, Indonesia, and Vietnam. Together, these four countries represent about 42% of the world's population, with GDP growth rates of over 6% [13](#). At the same time, they have varied results in terms of social and health outcomes, including MDG targets. In order to illustrate the role of social determinants of health, we contrast these results with structural and intermediary determinants of health and health inequity for these same countries.

The latest MDG statistics from 2010 show reductions of 50% or more in under-five mortality and infant mortality across the four countries ([Table 1](#)). Immunization against measles is at nearly 100% in China and Vietnam. India and Indonesia have also made great strides (32 and 53% improvements, respectively). Similarly, maternal mortality rates have decreased by over 60% in each of these countries, although the overall rates are still unacceptably high in India (200/100,000) and Indonesia (220/100,000), in

particular... determinants of maternal... hole, far from rea... tended by skilled h... men (54.8%),... nded at least fou... / 51% in the last 20 y... 79.4%) and cont... s=55.4%) and a... ctors that also con... s that we will explore

Table  
5 in f

nd

[Download CSV](#)[Display Table](#)

The status of tuberculosis is still very tenuous in three of the four countries. While China has made significant advances on a national level (TB prevalence 108/100,000), India, Indonesia, and Vietnam still have TB prevalence rates of 256, 289, and 334/100,000, respectively. Although TB treatment success rates are around 90% in all countries (95% in China), the TB detection rate under DOTS is still worryingly low in India (59%), Indonesia (66%), and Vietnam (54%).

Table 2 also indicates another problem with country reporting, which is that there is little national data for some of the MDG indicators on HIV and malaria. In some cases, the country reports, such as the UNAIDS country progress reports [14](#), simply state that data on, for example, 'sexual intercourse with more than one partner in the past 12 months' are "irrelevant".

Table 2. Percentage change from 1990 to 2010 for MDG 6 in four Asian countries

[Download CSV](#)[Display Table](#)

### Table 3. Intermediary determinants of health in four Asian countries



Download CSV

Display Table

Individual behavioral and biological factors, psychosocial factors and material circumstances also have an effect on equity in health, both directly and through use of health services. Smoking levels amongst men in Indonesia (61.3%), China (51.2%), and Vietnam (48.2%) are extremely high. Exclusive breastfeeding in the first 6 months of a child's life is relatively high in India (46.4%), compared to China (27.6%), Vietnam (16.9%), or Indonesia (15.3%). Use of 'improved drinking sources' is fairly high on a national level: 90% in China, India, and Vietnam, and 82% in Indonesia. However, 'improved sanitation' is poor in all countries, with large variations: 76% in Vietnam, 64% in China, 54% in Indonesia, and a very low 34% in India. The prevalence of wasting in children under five – an indicator of poor access to food – is very high in India (20%) and Indonesia (14.8%). In Vietnam almost one in ten children exhibit wasting; in China this figure is 2.3%.

The CSDH framework, which is based on hundreds of studies conducted over 20–30 years, points to the need for a more holistic approach to health equity. [11](#). The role of ethnicity and social determinants in health outcomes is also highlighted. The impact of an individual's health is determined by the availability of economic resources that are determined by socio-economic conditions in the country (e.g. 3%) and other hand, in China and India, urban slums.



Table  
socio



The Human Development Index (HDI) is a composite measure of: 1) education, 2) standard of living, and 3) length and quality of life, with 1 being the highest level of human development according to these aspects. In 2011, China (0.687) was considered to have a 'medium-high' human development level, whereas Indonesia (0.617), Vietnam (0.593), and India (0.547) were all considered to have 'low-medium' human development levels. These 'scores' on the HDI are reflected in poverty and education statistics for the four countries. The poverty headcount ratio is measured as the proportion of the population that is living under the national poverty level. The highest proportion of poor is found in India (29.8%), followed by Indonesia (13.3%) and China (2.8%). Net enrollment in primary school is almost 100% in all countries (data not available in China), and adult literacy is over 90% except in India (62.8%).

Attitudes and norms regarding men's and women's roles and responsibilities in society are strongly related to health behaviors and outcomes [15](#). The expression of norms in a society can be measured in many different ways. The Gender Inequality Index reflects inequalities in achievement between men and women in reproductive health, educational attainment, and the labor market, with 0 indicating perfect equality. Gender inequality in these areas is worst in India (0.617) and Indonesia (0.505). China (0.209) and Vietnam (0.305) are much closer to reaching equality.<sup>2</sup> This index may go a

long way between the four countries. In China, the gender inequality index is 0.209, which is significantly lower than in any of the other three countries. The ratio of male to female household heads is 1.000 in China, 0.894 in India, 0.894 in Indonesia, and 0.894 in Vietnam. The ratio of male to female household heads is 1.000 in China, 0.894 in India, 0.894 in Indonesia, and 0.894 in Vietnam. The ratio of male to female household heads is 1.000 in China, 0.894 in India, 0.894 in Indonesia, and 0.894 in Vietnam.

Educational attainment is also a key indicator of gender inequality. In all four countries, the ratio of male to female household heads is 1.000 in China, 0.894 in India, 0.894 in Indonesia, and 0.894 in Vietnam. The ratio of male to female household heads is 1.000 in China, 0.894 in India, 0.894 in Indonesia, and 0.894 in Vietnam. The ratio of male to female household heads is 1.000 in China, 0.894 in India, 0.894 in Indonesia, and 0.894 in Vietnam.

The reproductive health and family planning indicators are also important in understanding gender inequality. In all four countries, the ratio of male to female household heads is 1.000 in China, 0.894 in India, 0.894 in Indonesia, and 0.894 in Vietnam. The ratio of male to female household heads is 1.000 in China, 0.894 in India, 0.894 in Indonesia, and 0.894 in Vietnam. The ratio of male to female household heads is 1.000 in China, 0.894 in India, 0.894 in Indonesia, and 0.894 in Vietnam.



the longer they can stay in school, thus increasing educational levels amongst women. The teenage pregnancy rates (aged 15–19) were 16% in India in 2006 and 9% in Indonesia in 2007 (data not available in China and Vietnam). Thus, gender norms that are reflected in low levels of women's achievement in secondary school, low participation in the labor market, high levels of teenage pregnancy, and the high levels of poverty in India and Indonesia are likely strong social determinants of the poor health results reported above.

In the CSDH framework, the socioeconomic and political structure of a country is purported to create the conditions that make possible differences based on socioeconomic position. For example, policies around education and social protection can create an enabling or disabling environment for different segments of the population to attend school, or for women to work. Thus, the high ratio of female to male participation in the labor market in Vietnam discussed above (89%) is likely related to the fact that the state subsidizes day care for children below school age, which is not the case in the other three Asian countries in this study, although all require employers to allow parental leave for at least 3 months (Table 5). Similarly, legislation often reflects cultural and social values that, as we have seen above, have an effect on behaviors and ultimately health. Thus, the high legal age at marriage in China, i.e. 20 years, is probably a protective factor against adolescent pregnancies, but also is a factor in other countries, along with



Table  
socio

Downlo



Other su  
governan  
been use  
countrie  
have be  
(most cl

alth are  
(CPI) has  
within  
orruption  
orruption  
dicat low

worthwhile the average person thinks it is to be involved in the political processes in these countries. This, in turn, will affect the social standing of that person, or the group to which he/she belongs, according to the CSDH framework.

The final statistic that we present for the four countries is the annual growth rate of the gross domestic product (GDP). All have very high growth rates: 10.4% for China, 9.6% for India, 6.8% for Vietnam, and 6.2% for Indonesia in 2010. This indicates that there may be financial resources available to create the necessary social and structural conditions to improve the health and welfare of the populations of these Asian countries.

This review of selected indicators of social determinants of health in four Asian countries has allowed us to identify potential causes and determinants of ill-health. However, it is not sufficient to remain on this level. The differences within countries are often greater than the differences between them. Therefore, the use of national targets to reflect achievement of the MDGs is, as we discussed in the introduction, misleading at best and destructive at worst [5](#) [9](#). Subsequently, sub-national (provincial/state or district level) analyses to identify populations that are disadvantaged in relation to achievement of the MDGs and to disentangle the effects of different determinants on inequity in achievement of the MDGs are necessary. Finally, trend analyses are necessary to identify whether or not inequity gaps between different populations (i.e. the rich/ the rate allow po achieve is design and whether information will equity in object, which vietnam.



syntheses should be context-specific and include evidence, modifying factors, needs, values, costs, and availability of resources. The research syntheses should address both the know-do gap and optimal ways of effective implementation [20](#).

The World Health Organization's Task Force on Research Priorities has called for more use of research in identifying and evaluating policy options to reduce health inequities [21](#). EPI-4 (Evidence for Policy and Implementation) was designed to increase capacity to make evidence-informed decisions on policies and implementation for health for disadvantaged groups in relation to MDGs 4, 5, and 6 in China, India, Indonesia, and Vietnam. The project will identify and use networks in each country to discuss evidence on inequity in achievement of the health-related MDGs and to plan for evidence-based interventions to reduce inequities. The evidence will be gathered and analyzed by researchers based at four Swedish universities: Karolinska Institutet, Gothenburg University, Umeå University, and Uppsala University, working in conjunction with longstanding partners in the four countries – Fudan University and Peking University, China; University of Gadjah Mada, Indonesia; the Public Health Institute of India; and the National Pediatric Hospital in Vietnam – and the ministries of health in these countries. The researchers will conduct systematic reviews to identify the most disadvantaged groups in relation to MDGs 4, 5, and 6 in each country (not all countries will look at each MDG outcome). We will also conduct secondary data analyses of large,

existing analyses of achievement of MDGs 4, 5, and 6 to fill gaps in the most important sources of data; and 3) to determine whether or not equity in the distribution of benefits to 15 persons (such as non-governmental organizations) summarized in research on maternal and child



## Conflict of interest and funding

The authors have not received funding from industry for this paper and report no conflict of interests.

## Acknowledgements

The EPI-4 project is funded by the Swedish International Development Cooperation Agency (Sida), project number AKT-2010-048. The purpose of EPI-4 is to build capacity in using evidence to inform policies to improve equity in the achievement of MDGs 4, 5, and 6 in China, India, Indonesia, and Vietnam.

## Notes

<sup>1</sup>Differences in the definition of 'urban' may also be somewhat responsible for these differences.

<sup>2</sup>As a comparison, the country that was closest to reaching gender equality according to this definition in 2011 received a score of 0.049 (Sweden).



Relat



Sour

Linki

in low-

## Refer

1. WHO. (2011). Monitoring the achievement of the health-related Millennium Development Goals. Geneva: World Health Organization.  
[Google Scholar](#)
2. UN. (2010). The Millennium Development Goals Report 2010. New York: United Nations.  
[Google Scholar](#)
3. Tendulkar S, Radhakrishna R, Sengupta S. Report of the expert group to review the methodology for estimation of poverty. Government of India, Planning Commission. New Delhi, 2009  
[Google Scholar](#)
4. Dreze J, Sen A Putting growth in its place. It has to be but a means to development, not an end in itself. Available from: <http://OutlookIndia.com> [cited 14 November 2011]..  
[Google Scholar](#)
5. Langford M. A poverty of rights: six ways to fix the MDGs. *IDS Bulletin*. 2010; **41**: 83-91.10.2402/gha.v6i0.10650
6. Mulho... d-survival  
strate... .19650.
7. Thom... omoting  
eq... ; 19: 176-  
82.10.
8. Gwatk... e. *Lancet*.  
2004;



9. Waage J, Banerji R, Campbell O, Chirwa E, Collender G, Dieltiens V, et al.. The Millennium Development Goals: a cross-sectoral analysis and principles for goal setting after 2015 Lancet and London International Development Centre Commission. Lancet. 2010; 376: 991-1023.10.3402/gha.v6i0.19650.

 | [PubMed](#) | [Web of Science ®](#) | [Google Scholar](#)

10. World Health Assembly, resolution 64.14. Available from: [http://apps.who.int/gb/ebwha/pdf\\_files/WHA62-REC1/WHA62\\_REC1-en-P2.pdf](http://apps.who.int/gb/ebwha/pdf_files/WHA62-REC1/WHA62_REC1-en-P2.pdf)[cited 27 February 2013]..

[Google Scholar](#)

11. Solar O, Irwin A. A conceptual framework for action on the social determinants of health. Social determinants of health Discussion Paper 2 (Policy and Practice). World Health Organization. Geneva, 2010

[Google Scholar](#)

12. Sumner A. Global poverty and the new bottom billion: what if three-quarters of the world's poor live in middle-income countries? IDS Working Paper 349. Volume November. Institute of Development Studies. Brighton, 2010

[Google Scholar](#)

13. World Health Organization. [http://apps.who.int/gb/ebwha/pdf\\_files/WHA62-REC1/WHA62\\_REC1-en-P2.pdf](http://apps.who.int/gb/ebwha/pdf_files/WHA62-REC1/WHA62_REC1-en-P2.pdf)[cited 27 February 2013]..

[Google Scholar](#)

14. Countdown to 2015: <http://www Countdown to 2015: progress reports/2013>

[Google Scholar](#)

15. World Health Organization. <http://www Countdown to 2015: progress reports/2013> Geneva, 2013

[Google Scholar](#)



6. Wallin L. Evidence-based practice in a global context: the case of neonatal mortality. *Worldviews Evid Based Nurs.* 2008; **5**: 167-9.10.3402/gha.v6i0.19650.  
 | [Google Scholar](#)
7. Oxman AD, Bjørndal A, Becerra-Posada F, Gibson M, Block MAG, Haines A, et al.. A framework for mandatory impact evaluation to ensure well informed public policy decisions. *Lancet.* 2010; **375**: 427-31.10.3402/gha.v6i0.19650.  
 | [PubMed](#) | [Google Scholar](#)
8. Innvaer S VG, Trommald M, Oxman A. Health policy-makers' perceptions of their use of evidence: a systematic review. *J Health Serv Res Pol.* 2002; **7**: 239.10.3402/gha.v6i0.19650.  
 | [PubMed](#) | [Google Scholar](#)
9. Lavis J, Lomas J, Hamid M, Sewankambo NK. Assessing country-level efforts to link research to action. *Bull World Health Organ.* 2006; **84**: 620-28.10.3402/gha.v6i0.19650.  
 | [PubMed](#) | [Web of Science ®](#) | [Google Scholar](#)

10. Lavis J, Lomas J, Hamid M, Sewankambo NK. Assessing country-level efforts to link research to action. *Bull World Health Organ.* 2006; **84**: 620-28.10.3402/gha.v6i0.19650.  
make  
Health  
[PubMed](#)  
laboration to  
makers.
11. Östlin K, Lomas J, Hamid M, Sewankambo NK. Assessing country-level efforts to link research to action. *Bull World Health Organ.* 2006; **84**: 620-28.10.3402/gha.v6i0.19650.  
research  
PLoS  
Priorities for  
n agenda.



Download

Related

Linda Sanneving et al.  
Global Health Action  
Published online: 2 Apr 2013



### Information for

- Authors
- R&D professionals
- Editors
- Librarians
- Societies

### Opportunities

- Reprints and e-prints
- Advertising solutions
- Accelerated publication
- Corporate access solutions

### Open access

- Overview
- Open journals
- Open Select
- Dove Medical Press
- F1000Research
- Help and information
- Help and contact
- Newsroom
- All journals
- Books

Keep up

Register to  
by email



Copyright

Accessib

Registered  
5 Howick Pl

